- Jackson DW, Evans NA, Thomas BD. Accuracy of needle placement into intraarticular space of the knee. J Bone Joint Surg Am 2002;84:1522–7.
- Balint PV, Kane D, Hunter J, McInnes IB, Field M, Sturrock RD. Ultrasound guided versus conventional joint and soft tissue fluid aspiration in rheumatology practice: a pilot study. J Rheumatol 2002;29:2209–13.
- Raza K, Lee CY, Pilling D, Heaton S, Situnayake RD, Carruthers DM, et al. Ultrasound guidance allows accurate needle placement from small joints in patients with early arthritis. Rheumatology (Oxford) 2003;42:976–9.
- Kane D, Greaney T, Shanahan M, Duffy G, Bresnihan B, Gibney R, et al. The role of ultrasonography in the diagnosis and management of idiopathic plantar fasciitis. *Rheumatology (Oxford)* 2001;40:1002–8.
- Naredo E, Cabero F, Beneyto P, Cruz A, Mondejar B, Uson J, et al. A randomized comparative study of short term response to blind injection versus sonographicguided injection of local corticosteroids in patients with painful shoulder. J Rheumatol 2004;31:308–14.
- Furtado RN, Oliveira LM, Natour J. Polyarticular corticosteroid injection versus systemic administration in treatment of rheumatoid arthritis patients: a randmomized controlled study. *J Rheumatol* 2005;32:1691–8.
- van Vugt RM, van Dalen A, Bijsma JWJ. The current role of high-resolution ultrasonography of the hand and wrist in rheumatic diseases. Clin Exp Rheumatol 1998;16:454–8.

Correction

There was an error in the list of authors of a paper published in the May issue of the journal (Increased exposure to statins in patients developing chronic muscle diseases: a 2-year retrospective study. *Ann Rheum Dis* 2008;**67**:614–19). The correct list of authors is as follows: L Sailler, C Pereira, A Bagheri, E Uro-Coste, B Roussel, D Adoue, B Fournie, M Laroche, L Zabraniecki, P Cintas, P Arlet, M Lapeyre-Mestre, J L Montastruc.

Ann Rheum Dis 2008;67:1200. doi:10.1136/ard.2007.075523.corr1