induce an hypothalami-hypophyso-adrenocortical hyperactivity.

In animals, especially in the rat, ACTH and sodium salicylate administered at sufficiently high doses induce the same haematological, biochemical, and histological modifications. These two drugs increase the level of the free and total 17-hydroxycorticosteroids in the serum as well as reducing the steroids in the plasma.

On the other hand, in man, the salicylates induce modifications similar to those occurring in a Cushing's syndrome, these changes being due to adrenocortical hyperactivity. They also cause a fall in the number of circulating eosinophils after the intake of 6 g., and (in patients who respond to the treatment) an increase in the free and total serum 17-hydroxycorticosteroids and the urinary 17-hydroxy- and reducing steroids.

This suggests that salicylates stimulate the hypophyso-adreno-cortical axis. These drugs may have other specific pharmacodynamic activities on the peripheral tissues, which we have investigated in various experiments.

Psychogenic Rheumatism, its Incidence, Practical Importance, and Differentiation from Rheumatoid Arthritis and Fibrositis. By P. S. HENCH (*Rochester, Minn., U.S.A.*).

Differential Diagnosis between Rheumatoid Arthritis and Ankylosing Spondylitis. By J. FORESTIER (*Aix-les-Bains, France*).

Chronic Inflammatory Rheumatism following Rheumatic Fever. By J. GRABER-DUVERNAY (*Aix-les-Bains, France*).

Surgical Intervention in Arthritis. By S. FRIBERG (*Stockholm, Sweden*).

Osteoporosis and Fractures complicating Steroid Therapy for Rheumatoid Arthritis. By EDWARD F. ROSENBERG (*Chicago, Ill., U.S.A.*).

BOOK REVIEW

Patologia rara delle articolazioni. By Claudio Cervini and Cesare Longo. 1957. Pp. 297, 28 figs. Edizioni Medichi e Scientifici, Rome. (L. 3,500; \$6; 42s.)

This volume is a product of the Rome School of Rheumatology. The authors have included as many rare affections of joints as possible but, as a definition of rarity under the circumstances would tax even the resources of a Parkes-Weber, it is not surprising to find, for instance, that over forty pages have been devoted to psoriatic arthritis. Print and paper are of excellent

quality and the task of the reader has been eased by the provision of a table of contents, a list of authors, and an extensive international bibliography at the end of each chapter. Very thoughtfully, too, the publishers have supplied a plastic dust-cover which is both transparent and substantial—an innovation which should be more generally copied.

This volume can only have a limited appeal, though the references provided open interesting vistas for research workers.

DAVID PREISKEL.