



Editor Tore K Kvier

Associate Editors

Francis Berenbaum Hans Biilsma David Pisetsky Dimitrios Boumpas Gerd Burmester Mary Crow lain McInnes

Editorial office

Annals of the Rheumatic Diseases BMJ Publishing Group Ltd **BMA** House Tavistock Square London WCIH 9JR,UK T: +44 (0)20 7383 6250 F: +44 (0)20 7383 6668 E: ard@bmj.com Twitter: @ARD_BMJ

ISSN: 0003-4967 (print) ISSN: 1468-2060 (online) **Impact Factor:** 9.270

Disclaimer: ARD is owned and published by BMJ Publishing Group Ltd (a wholly owned subsidiary of the British Medical Association) and the European League Against Rheumatism. The owners grant editorial freedom tothe Editor of ARD. ARD follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice ofthe Committee on Publication Ethics.

ARD is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors institutions the BMJ Publishing Group, the European League Against Rheumatism or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury or damage resulting from the use of ARD or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2015 BMJ Publishing Group and European League Against Rheumatism. All rights reserved; no part of this publication may be reproduced stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying recording, or otherwise without prior permission

ARD is published by BMJ Publishing Group Ltd typeset by Techset and printed in the UK on acid-free paper.

Annals of the Rheumatic Diseases (ISSN No: 0003-4967) is published monthly by BMJ Publishing Group and distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431 POSTMASTER: send address changes to Annals of the Rheumatic Diseases. Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.



Receive regular table of contents by email. Register using this QR code.

Contents

Editorial

477 PPARy/mTOR signalling: striking the right balance in cartilage homeostasis



F Dell'Accio, J Sherwood

Review

6


The effects of tumour necrosis factor inhibitors. methotrexate, non-steroidal anti-inflammatory drugs and corticosteroids on cardiovascular events in rheumatoid arthritis, psoriasis and psoriatic arthritis;

a systematic review and meta-analysis

C Roubille, V Richer, T Starnino, C McCourt, A McFarlane, P Fleming, S Siu, J Kraft, C Lynde, J Pope, W Gulliver, S Keeling, J Dutz, L Bessette, R Bissonnette, B Haraoui

Clinical and epidemiological research

Quality indicators for the primary care of osteoarthritis:



J J Édwards, M Khanna, K P Jordan, J L Jordan, J Bedson, K S Dziedzio

499 MRP8/14 serum levels as a strong predictor of response to biological treatments in patients with rheumatoid arthritis

> IY Choi, DM Gerlag, MJ Herenius, RM Thurlings, C A Wijbrandts, D Foell, T Vogl, J Roth, P P Tak, D Holzinger

506 Concordance between inflammation at physical examination and on MRI in patients with early arthritis A Krabben, W Stomp, T W J Huizinga, D van der Heijde, J L Bloem, M Reijnierse, A H M van der Helm-van Mil

Key findings towards optimising adalimumab treatment: the concentration-effect curve MF Pouw, CL Krieckaert, MT Nurmohamed, D van der Kleij, L Aarden, T Rispens, G Wolbink

519 A novel method for bone area measurement provides new insights into osteoarthritis and its progression M A Bowes, G R Vincent, C B Wolstenholme, P G Conaghan

526 Efficacy and safety of belimumab in primary Sjögren's syndrome: results of the BELISS open-label phase II study

X Mariette, R Seror, L Quartuccio, G Baron, S Salvin, M Fabris, F Desmoulins, G Nocturne, P Ravaud, S De Vita

532 Chronicity of rheumatoid arthritis affects the responsiveness of physical function, but not of disease activity measures in rheumatoid arthritis clinical trials D Aletaha, F Alasti, J S Smolen

538 Golimumab 3-year safety update: an analysis of pooled data from the long-term extensions of randomised, **(a)**

double-blind, placebo-controlled trials conducted in patients with rheumatoid arthritis, psoriatic arthritis or ankylosing spondylitis

J Kay, R Fleischmann, E Keystone, E C Hsia, B Hsu, M Mack, N Goldstein, J Braun, A Kavanaugh

First-line analysis of the effects of treatment on progression of structural changes in knee osteoarthritis over 24 months: data from the osteoarthritis initiative progression cohort

Martel-Pelletier, C Roubille, F Abram, M C Hochberg, M Dorais, P Delorme, J-P Raynauld, J-P Pelletier

557 Hormone replacement therapy and mid-term implant survival following knee or hip arthroplasty for osteoarthritis: a population-based cohort study D Prieto-Alhambra, M K Javaid, A Judge, J Maskell C Cooper, N K Arden, on behalf of the COASt Study Group

Volume 74 Issue 3 | ARD March 2015

564 Maintenance of remission following 2 years of standard treatment then dose reduction with abatacept in **(3)**

OPEN ACCESS patients with early rheumatoid arthritis and poor prognosis

R Westhovens, M Robles, A C Ximenes, J Wollenhaupt, P Durez, J Gomez-Reino, W Grassi, B Haraoui, W Shergy, S-H Park, H Genant, C Peterfy, J-C Becker, B Murthy

Basic and translational research

PPARy deficiency results in severe, accelerated **(a)** OPEN ACCESS

D Burger, L Punzi

V

osteoarthritis associated with aberrant mTOR signalling in the articular cartilage

F Vasheghani, Y Zhang, Y-H Li, M Blati, H Fahmi, B Lussier, P Roughley, D Lagares, H Endisha, B Saffar, D Lajeunesse, W K Marshall, Y R Rampersaud, N N Mahomed, R Gandhi, J-P Pelletier, J Martel-Pelletier, M Kapoor

579 Identification of anticitrullinated protein antibody reactivities in a subset of anti-CCP-negative rheumatoid **(a)** arthritis: association with cigarette smoking and

> HLA-DRB1 'shared epitope' alleles CA Wagner, I Sokolove, L J Lahev, C Bengtsson, S Saevarsdottir, L Alfredsson, M Delanoy, T M Lindstrom, R P Walker, R Bromberg, P E Chandra, S R Binder, L Klareskog, W H Robinson

High-density lipoproteins inhibit urate crystal-induced 587 inflammation in mice A Scanu, R Luisetto, F Oliviero, L Gruaz, P Sfriso,

595 NAMPT (visfatin), a direct target of hypoxia-inducible factor- 2α , is an essential catabolic regulator of **(a)**

osteoarthritis S Yang, J-H Ryu, H Oh, J Jeon, J-S Kwak, J-H Kim. H A Kim, C-H Chun, J-S Chun

MORE CONTENTS ▶

This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals Open Access scheme.

See http://ard.bmj.com/site/about/guidelines.xhtml#open



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

http://publicationethics.org/







Somatic NLRP3 mosaicism in Muckle-Wells syndrome. A genetic mechanism shared by different phenotypes of cryopyrin-associated periodic syndromes

K Nakagawa, E Gonzalez-Roca, A Souto, T Kawai, H Umebayashi, J M Campistol, J Cañellas, S Takei, N Kobayashi, J L Callejas-Rubio, N Ortego-Centeno, E Ruiz-Ortiz, F Rius, J Anton, E Iglesias, S Jimenez-Treviño, C Vargas, J Fernandez-Martin, I Calvo, J Hernández-Rodríguez, M Mendez, M T Dordal, M Basagaña, S Bujan, M Yashiro, T Kubota, R Koike, N Akuta, K Shimoyama, N Iwata, M K Saito, O Ohara, N Kambe, T Yasumi, K Izawa, T Kawai, T Hajba, I Vania, D Nichthur. T Heike, J Yagüe, R Nishikomori, Juan I Aróstegui

611 Ultrasound-guided synovial biopsy: a safe, well-tolerated and reliable technique for obtaining high-quality synovial tissue from both large and small joints in early arthritis patients

S Kelly, F Humby, A Filer, N Ng, M Di Cicco, R E Hands, V Rocher, M Bombardieri, M A D'Agostino, I B McInnes, C D Buckley, P C Taylor, C Pitzalis

618 FUT2: filling the gap between genes and environment in Behçet's disease?

> J M Xavier, F Shahram, I Sousa, F Davatchi, M Matos, B S Abdollahi, J Sobral, A Nadji, M Oliveira, F Ghaderibarim, N M Shafiee, S A Oliveira

Letters

- 626 A comparison of safety profiles of tumour necrosis factor $\boldsymbol{\alpha}$ inhibitors and rituximab therapy in patients with rheumatoid arthritis and chronic hepatitis C Y-M Chen, H-H Chen, Y-H Chen, T-Y Hsieh, C-W Hsieh, W-T Hung, J-L Lan, D-Y Chen
- 627 Effectiveness and safety of tocilizumab therapy for patients with rheumatoid arthritis and renal **(a)** OPEN ACCESS insufficiency: a real-life registry study in Japan (the ACTRA-RI study)

S Mori, T Yoshitama, T Hidaka, N Hirakata, Y Ueki

Electronic pages

Clinical and epidemiological research

Diagnostic delay in patients with rheumatoid arthritis, psoriatic arthritis and ankylosing spondylitis: results

OPEN ACCESS from the Danish nationwide DANBIO registry J Sørensen, M L Hetland, on behalf of all departments of rheumatology in Denmark

High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci

MEUMATOIG AITHRIUS ISK IOCI
K Kim, S-Y Bang, H-S Lee, S-K Cho, C-B Choi,
Y-K Sung, T-H Kim, J-B Jun, D H Yoo, Y M Kang,
S-K Kim, C-H Suh, S-C Shim, S-S Lee, J Lee, W T Chung,
J-Y Choe, H D Shin, J-Y Lee, B-G Han, S K Nath,
S Eyre, J Bowes, D A Pappas, J M Kremer,
M A Gonzalez-Gay, L Rodriguez-Rodriguez, L Ärlestig,
Y Okada, D Diogo, K P Liao, E W Karlson, S Raychaudhuri,
S Rantapää-Dahlqvist, J Martin, L Klareskog, L Padyukov,
P K Gregersen, I Worthington, I D Greenberg, R M Plance PK Gregersen, J Worthington, JD Greenberg, RM Plenge,

PXK locus in systemic lupus erythematosus: fine mapping and functional analysis reveals novel susceptibility gene ABHD6

N Y Oparina, A M Delgado-Vega, M Martinez-Bueno, C Magro-Checa, C Fernández, R O Castro, B A Pons-Estel, S D'Alfonso, G D Sebastiani, T Witte, B R Lauweys, E Endreffy, L Kovács, A Escudero, C López-Pedrera, C Vasconcelos, B M da Silva, J Frostegård, L Truedsson, J Martin, E Raya, N Ortego-Centeno, M de los Angeles Aguirre, E de Ramón Garrido, M-J C Palma, M E Alarcon-Riquelme, S V Kozyrev

A genome-wide association study of rheumatoid arthritis without antibodies against citrullinated

> L Bossini-Castillo, C de Kovel, H Kallberg R van 't Slot, A Italiaander, M Coenen, P P Tak, M D Posthumus, C Wijmenga, T Huizinga, A H M van der Helm-van Mil, G Stoeken-Rijsbergen, L Rodriguez-Rodriguez, A Balsa, I González-Álvaro, M Á González-Gay, C Gómez-Vaquero, B Franke, LifeLines Cohort Study, S Vermeulen, IE van der Horst-Bruinsma, B A C Dijkmans, G J Wolbink, R A Ophoff, M T Maehlen, P van Riel, M Merriman, L Klareskog, B A Lie, T Merriman, J B A Crusius, E Brouwer, J Martin, N de Vries, R Toes, L Padyukov, B P C Koeleman

Significant associations of antidrug antibody levels with serum drug trough levels and therapeutic response of adalimumab and etanercept treatment in rheumatoid arthritis

D-Y Chen, Y-M Chen, W-C Tsai, J-C Tseng, Y-H Chen, C-W Hsieh, W-T Hung, J-L Lan

Basic and translational research

SAMHD1 prevents autoimmunity by maintaining genome stability

(OPEN ACCESS

Kretschmer, C Wolf, N König, W Staroske, J Guck, M Häusler, H Luksch, L A Nguyen, B Kim, D Alexopoulou, A Dahl, A Rapp, M C Cardoso, A Shevchenko, M A Lee-Kirsch

- Signature of circulating microRNAs in osteoarthritis e18 C Beyer, A Zampetaki, N-Y Lin, A Kleyer, C Perricone, A Iagnocco, A Distler, S R Langley, K Gelse, S Sesselmann, R Lorenzini, A Niemeier, B Swoboda, J H W Distler, P Santer, G Egger, J Willeit, M Mayr, G Schett, S Kiechl
- Identification of secreted phosphoprotein 1 gene as a new rheumatoid arthritis susceptibility gene S Gazal, K Sacre, Y Allanore, M Teruel, A H Goodall (The CARDIOGENICS consortium), S Tohma, L Alfredsson, Y Okada, G Xie, A Constantin, A Balsa, A Kawasaki, P Nicaise, C Amos, L Rodriguez-Rodriguez, G Chiocchia, Hurukawa, A Cantagrel, X Le Loèt, T Sumida,

 M Hurukawa, A Cantagrel, X Le Loèt, T Sumida,

 M Hurudo-Nedelec, C Richez, S Chollet-Martin, T Schaeverbeke, B Combe, L Khoryati, B Coustet, J El-Benna, K Siminovitch, R Plenge, L Padyukov, J Martin, N Tsuchiya,
- e20 Vitamin D receptor regulates TGF-β signalling in systemic sclerosis

P Zerr, S Vollath, K Palumbo-Zerr, M Tomcik, J Huang, A Distler, C Beyer, C Dees, K Gela, O Distler, G Schett, I H W Distler

Correspondence

- Anti-TNF response rates in radiographic and non-radiographic axial spondyloarthropathy D McCormick, J McKnight, A Pendleton
- e22 Impact of genetic predisposition of de novo uveitis with etanercept in ankylosing spondylitis M Killian, R Touraine, A Amouzougan, T Thomas, H Marotte
- e23 Racial disparity in arthroplasty remains disjointed
- e24 Effectiveness of TNF inhibitor treatment with various methotrexate doses in patients with rheumatoid arthritis: results from clinical practice S H M Manders, W Kievit, E Adang, T J Jansen, J N Stolk, H Visser, A M Schilder, H E Vonkeman, MAFJ van de Laar, PLCM van Riel
- Is primary Sjögren's syndrome an orphan disease? A critical appraisal of prevalence studies in Europe D Cornec, L Chiche

- e26 Response to: 'Is primary Sjögren's syndrome an orphan disease? A critical appraisal of prevalence studies in Europe' by Cornec and Chiche
 B Qin, J Wang, Z Yang, Y Liang, R Zhong
- **e27** Venous thromboembolic events in systemic vasculitis *P Novikov, E Makarov, S Moiseev, A Meshkov, L Strizhakov*
- **e28** Response to: 'Venous thromboembolic events in systemic vasculitis' by Novikov et al J A Aviña-Zubieta, V M Bhole, N Amiri, E C Sayre, H K Choi
- e29 Does adding the presence of MRI detected bone marrow oedema improve the accuracy of the 2010 EULAR/ACR criteria for rheumatoid arthritis? W P Nieuwenhuis, M Reijnierse, A HM van der Helm-van Mil
- e30 Response to: 'Does adding the presence of MRI detected bone marrow oedema improve the accuracy of the 2010 EULAR/ACR criteria for rheumatoid arthritis?' by Nieuwenhuis et al M Tamai, A Kawakami