

Editor Tore K Kvien

Associate Editors

Francis Berenbaum Hans Bijlsma David Pisetsky Dimitrios Boumpas Gerd Burmester Mary Crow lain McInnes

Editorial office

Annals of the Rheumatic Diseases BMJ Publishing Group Ltd **BMA House** Tavistock Square London WCIH 9JR.UK

+44 (0)20 7383 6250 +44 (0)20 7383 6668 E: **ard@bmj.com** Twitter: **@ARD_BMJ** ISSN: 0003-4967 (print) ISSN: 1468-2060 (online)

Impact Factor: 10.377

Disclaimer: ARD is owned and published by BMJ Publishing Group Ltd (a wholly owned subsidiary of the British Medical Association) and the European League Against Rheumatism. The owners grant editorial freedom tothe Editor of ARD. ARD follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

ARD is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions the BMJ Publishing Group, the European League Against Rheumatism or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury or damage resulting from the use of ARD or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2015 BMJ Publishing Group and European League Against Rheumatism. All rights reserved; no part of this publication may be reproduced stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying recording, or otherwise without prior permission

ARD is published by BMJ Publishing Group Ltd typeset by Techset and printed in the UK on acid-free paper.

Annals of the Rheumatic Diseases (ISSN No: 0003-4967) is published monthly by BMJ Publishing Group and distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431 POSTMASTER: send address changes to Annals of the Rheumatic Diseases, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.



Receive regular table of contents by email. Register using this QR code.

Editorial

Dietary fatty acids for the treatment of OA, including

D T Felson, H A Bischoff-Ferrari

Recommendation

3 Treating rheumatoid arthritis to target: 2014 update of **(** the recommendations of an international task force

J S Smolen, F C Breedveld, G R Burmester, V Bykerk, M Dougados, P Emery, T K Kvien, M V Navarro-Compán, S Oliver, M Schoels, M Scholte-Voshaar, T Stamm, M Stoffer, T Takeuchi, D Aletaha, J Louis Andreu, M Aringer, M Bergman, N Betteridge, H Bijlsma, H Burkhardt, M Cardiel, B Combe, P Durez, I E Fonseca, A Gibofsky, I I Gomez-Reino, W Graninger, P Hannonen, B Haraoui, M Kouloumas, R Landewe, E Martin-Mola, P Nash, M Ostergaard, A Östör, P Richards, T Sokka-Isler, C Thorne, A G Tzioufas, R van Vollenhoven, M de Wit, D van der Heijde

Review

16 Evidence for treating rheumatoid arthritis to target:



results of a systematic literature search update M A Stoffer, M M Schoels, J S Smolen, D Aletaha, F C Breedveld, G Burmester, V Bykerk, M Dougados, P Emery,

B Haraoui, J Gomez-Reino, T K Kvien, P Nash, V Navarro-Compán, M Scholte-Voshaar, R van Vollenhoven, D van der Heijde, T A Stamm

Clinical and epidemiological research

Fish oil in knee osteoarthritis: a randomised clinical trial of low dose versus high dose

C.L. Hill, L.M. March, D. Aitken, S. E. Lester, R. Battersby, K Hynes, T Fedorova, S M Proudman, M James, L G'Cleland, G Jones

30 Tacrolimus versus mycophenolate mofetil for induction therapy of lupus nephritis: a randomised controlled trial and long-term follow-up

C C Mok, K Y Ying, C W Yim, Y P Siu, K H Tong, C H To,

Combined chondroitin sulfate and glucosamine for

painful knee osteoarthritis: a multicentre, randomised, double-blind, non-inferiority trial versus celecoxib

M C Hochberg, J Martel-Pelletier, J Monfort, I Möller, J R Castillo, N Arden, F Berenbaum, F J Blanco, P G Conaghan, G Doménech, Y Henrotin, T Pap, P Richette, A Sawitzke, P du Souich, J-P Pelletier, on behalf of the MOVES Investigation Group

Relapse rates in patients with rheumatoid arthritis in stable remission tapering or stopping antirheumatic therapy: interim results from the prospective randomised controlled RETRO study

J Haschka, M Englbrecht, A J Hueber, B Manger, A Kleyer, M Reiser, S Finzel, H-P Tony, S Kleinert, M Feuchtenberger, M Fleck, K Manger, W Ochs, M Schmitt-Haendle, J Wendler, F Schuch, M Ronneberger, H-M Lorenz, H Nuesslein, R Alten, W Demary, J Henes, G Schett, J Rech

52 Full dose, reduced dose or discontinuation of etanercept in rheumatoid arthritis

OPEN ACCESS

R F van Vollenhoven, M Østergaard, M Leirisalo-Repo, T Uhlig, M Jansson, E Larsson, F Brock, K Franck-Larsson

Step-down strategy of spacing TNF-blocker injections 59 for established rheumatoid arthritis in remission: results of the multicentre non-inferiority randomised open-label controlled trial (STRASS: Spacing of TNF-blocker injections in Rheumatoid ArthritiS Study)

B Fautrel, T Pham, T Alfaiate, F Gandjbakhch, V Foltz, J Morel, E Dernis, P Gaudin, O Brocq, E Solau-Gervais, J-M Berthelot, J-C Balblanc, X Mariette, F Tubach

68 **(3)**

Efficacy and safety of subcutaneous tocilizumab versus intravenous tocilizumab in combination with traditional DMARDs in patients with RA at week 97 (SUMMACTA)

G R Burmester, A Rubbert-Roth, A Cantagret, S Hall, P Leszczynski, D Feldman, M J Rangaraj, G Roane, C Ludivico, M Bao, L Rowell, C Davies, E F Mysler

75 **(**

The first double-blind, randomised, parallel-group certolizumab pegol study in methotrexate-naive early OPEN ACCESS rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression

Atsumi, K Yamamoto, T Takeuchi, H Yamanaka, N Ishiguro, Y Tanaka, K Eguchi, A Watanabe, H Origasa, S Yasuda, Yamanishi, Y Kita, T Matsubara, M Iwamoto, T Shoji,

24 Synovial tissue volume: a treatment target in knee osteoarthritis (OA) **(a)**

TWO'Neill, MJ Parkes, N Maricar, EJ Marjanovic, R Hodgson, A D Gait, T F Cootes, C E Hutchinson, D T Felson

91 Independent impact of gout on the risk of diabetes mellitus among women and men: a population-based, BMI-matched cohort study Y H Rho, N Lu, C E Peloquin, A Man, Y Zhu, Y Zhang,

96 A tailored approach to reduce dose of anti-TNF drugs may be equally effective, but substantially less costly than standard dosing in patients with ankylosing spondylitis over 1 year: a propensity score-matched

> cohort study J Závada, M Uher, K Sisol, Š Forejtová, K Jarošová, H Mann,

J Vencovský, K Pavelka

Joint and tendon involvement predict disease progression in systemic sclerosis: a EUSTAR prospective study

J Avouac, U A Walker, E Hachulla, G Riemekasten, G Cuomo, P E Carreira, P Caramaschi, L P Ananieva, M Matucci-Cerinic, L Czirjak, C Denton, U M Ladner, Y Allanore, the EUSTAR

MORE CONTENTS ▶



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals Open Access scheme.

See http://ard.bmj.com/site/about/quidelines.xhtml#open



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

http://publicationethics.org/





MCQs The online version of this article contains multiple choice questions hosted on BMJ Learning.

- 110 Risk of deep venous thrombosis and pulmonary embolism in individuals with polymyositis and dermatomyositis: a general population-based study E C Carruthers, H K Choi, E C Sayre, J A Aviña-Zubieta
- MRI findings predict radiographic progression and development of erosions in hand osteoarthritis I K Haugen, B Slatkowsky-Christensen, P Bøyesen, S Sesseng, D van der Heijde, T K Kvien
- Twenty-eight loci that influence serum urate levels: analysis of association with gout

 A J Phipps-Green, M E Merriman, R Topless, S Altaf,
 G W Montgomery, C Franklin, G T Jones, A M van Rij,
 D White, L K Stamp, N Dalbeth, T R Merriman
- **131** Psoriatic arthritis treatment and the risk of herpes zoster

D Zisman, H Bitterman, G Shalom, I Feldhamer, D Comanesther, E Batat, S Greenberg-Dotan, S Cohen, A D Cohen

The incidence and prevalence of systemic lupus erythematosus in the UK, 1999–2012

PRees, M Doherty, M Grainge, G Davenport, P Lanyon,

- 142 Patient preferences for psychological support in inflammatory arthritis: a multicentre survey E Dures, C Almeida, J Caesley, A Peterson, N Ambler, M Morris, J Pollock, S Hewlett
- 148 The risk of deep venous thrombosis and pulmonary embolism in giant cell arteritis: a general population-based study

 J. A. Aviña-Zubieta, V. M. Bhole, N. Amiri, E. C. Sayre,
 H.K. Choi
- 155 Certain class I HLA alleles and haplotypes implicated in susceptibility play a role in determining specific features of the psoriatic arthritis phenotype M Haroon, R Winchester, J T Giles, E Heffernan,
- 163 A gender gap in primary and secondary heart dysfunctions in systemic sclerosis: a EUSTAR prospective study

M Elhai, J Ávouac, U A Walker, M Matucci-Cerinic, G Riemekasten, P Airò, E Hachulla, G Valentini, P E Carreira, F Cozzi, A B Gurman, Y Braun-Moscovici, N Damjanov, L P Ananieva, R Scorza, S Jimenez, J Busquets, M Li, U Müller-Ladner, A Kahan, O Distler, Y Allanore, EUSTAR co-authors

MRI assessment of suppression of structural damage in patients with rheumatoid arthritis receiving rituximab: results from the randomised, placebocontrolled, double-blind RA-SCORE study

C Peterfy, P Emery, P P Tak, M Østergaard, J DiCarlo, K Otsa, F N Sarabia, K Pavelka, M-A Bagnard, L H Gylvin, C Bernasconi, A Gabriele

178 Performance of classification criteria for gout in early and established disease

W.J. Taylor, J. Fransen, N. Dalbeth, T. Neogi, H. R. Schumacher, M. Brown, W. Louthrenoo, J. Vazquez-Mellado, M. Eliseev, G. McCarthy, L. K. Stamp, F. Perez-Ruiz, F. Sivera, H-K. Ea, M. Gerritsen, C. Scire, L. Cavagna, C. Lin, Y-Y. Chou, A-K. Tausche, G. da Rocha Castelar-Pinheiro, M. Janssen, J-H. Chen, O. Slot, M. Cimmino, T. Uhlig, T. L. Jansen

183 Familial aggregation of arthritis-related diseases in seropositive and seronegative rheumatoid arthritis: a register-based case-control study in Sweden T Frisell, K Hellgren, L Alfredsson, S Raychaudhuri, L Klareskog, J Askling

- 190 Disease progression into adulthood and predictors of long-term active disease in juvenile idiopathic arthritis A M Selvaag, H A Aulie, V Lilleby, B Flatø
- A Phase II study of the efficacy and safety of rontalizumab (rhuMAb interferon-α) in patients with systemic lupus erythematosus (ROSE)

 K C Kalınıian, J T Merrill, R Maciuca, J M McBride,
 M J Townsend, X Wei, J C Davis Jr, W P Kennedy
- 203 Ankylosing spondylitis and risk of ischaemic heart disease: a population-based cohort study

 I Essers, C Stolwijle, A Boonen, M L De Bruin, M T Bazelier, F de Vries, A van Tubergen
- 210 Comorbidities in patients with gout prior to and following diagnosis: case-control study

 OPEN ACCESS C-F Kuo, M J Grainge, C Mallen, W Zhang, M Doherty

Basic and translational research

218 Alarmins S100A8/S100A9 aggravate osteophyte formation in experimental osteoarthritis and predict osteophyte progression in early human symptomatic osteoarthritis

R F P Schelbergen, W de Munter, M H J van den Bosch, F P J G Lafeber, A Sloeijes, T Vogl, J Roth, W B van den Berg, P M van der Kraan, A B Blom, P L E M van Lent

- 226 Sirt1 regulates canonical TGF-β signalling to control fibroblast activation and tissue fibrosis

 P Zerr, K Palumbo-Zerr, J Huang, M Tomcik, B Sumova,

 O Distler, G Schett, J H W Distler
- 234 Discovery and confirmation of a protein biomarker panel with potential to predict response to biological therapy in psoriatic arthritis
 O S Ademowo, B Hernandez, E Collins, C Rooney, U Fearon, A W van Kuijk, P-P Tak, D M Gerlag, O Fitz Gerald, S R Pennington
- 242 Preferential association of a functional variant in complement receptor 2 with antibodies to doubleopen Access stranded DNA

J Zhao, B M Giles, R L Taylor, G A Yette, K M Lough, H L Ng, L J Abraham, H Wu, J A Kelly, S B Glenn, A J Adler, A H Williams, M E Comeau, J T Ziegler, M Marion, M E Alarcón-Riquelme for the BIOLUPUS and GENLES Networks, G S Alarcón, J-M Anaya, S-C Bae, D Kim, H-S Lee, L A Criswell, B I Freedman, G S Gilkeson, J M Guthridge, C O Jacob, J A James, D L Kamen, J T Merrill, K M Sivils, T B Niewold, M A Petri, R Ramsey-Goldman, J D Reveille, R H Scoffeld, A M Stevens, L M Vilá, T J Vyse, K M Kaufman, J B Harley, C D Langefeld, P M Gaffney, E E Brown, J C Edberg, R P Kimberly, D Ulgiati, B P Tsao, S A Boackle

- 253 Cell cycle regulation therapy combined with cytokine blockade enhances antiarthritic effects without increasing immune suppression T Hosoya, H Iwai, Y Yamaguchi, K Kawahata, N Miyasaka, H Kohsaka
- 260 The role of kinin B₁ receptor and the effect of angiotensin I-converting enzyme inhibition on acute gout attacks in rodents
 C R Silva, S M Oliveira, C Hoffmeister, V Funck, G P Guerra, G Trevisan, R Tonello, M F Rossato, J B Pesquero, M Bader, M S Oliveira, J J McDougall,
- 269 Neutrophil extracellular traps regulate IL-1β-mediated inflammation in familial Mediterranean fever E Apostolidou, P Skendros, K Kambas, I Mitroulis, T Konstantinidis, A Chrysanthopoulou, K Nakos, V Tsironidou, M Koffa, D T Boumpas, K Ritis

- 278 Myeloid-derived suppressor cells have a proinflammatory role in the pathogenesis of autoimmune arthritis

 C Guo, F Hu, H Yi, Z Feng, C Li, L Shi, Y Li, H Liu, X Yu, H Wang, J Li, Z Li, X-Y Wang
- 286 AMP-activated protein kinase suppresses urate crystalinduced inflammation and transduces colchicine effects in macrophages

Y Wang, B Viollet, R Terkeltaub, R Liu-Bryan

- **295** TGFβ responsive tyrosine phosphatase promotes rheumatoid synovial fibroblast invasiveness S M Stanford, G R A Muench, B Bartok, C Sacchetti, W B Kiosses, J Sharma, M F Maestre, M Bottini, T Mustelin, D L Boyle, G S Firestein, N Bottini
- 303 Downregulation of miR-193b in systemic sclerosis regulates the proliferative vasculopathy by urokinase-type plasminogen activator expression N Iwamoto, S Vettori, B Maurer, M Brock, E Pachera, A Jüngel, M Calcagni, R E Gay, M L Whitfield, J H W Distler, S Gay, O Distler
- 311 Tofacitinib regulates synovial inflammation in psoriatic arthritis, inhibiting STAT activation and induction of negative feedback inhibitors

W Gao, T McGarry, C Orr, J McCormick, D J Veale, U Fearon

317 Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study

A Yarwood, S Viatte, Y Okada, R Plenge, K Yamamoto, BRAGGSS, RACI, A Barton, D Symmons, S Raychaudhuri, L Klareskog, P Gregersen, J Worthington, S Eyre

Electronic pages Correspondence

 Mutation in MMP2 gene may result in scleroderma-like skin thickening

B Bader-Meunier, L Bonafé, S Fraitag, S Breton, C Bodemer, G Baujat Response to: 'Mutation in MMP2 gene may result in scleroderma-like skin thickening' by Bader-Meunier et al

S Banka, W G Newman

- e3 Infrapatellar fat pad maximal area and changes in knee symptoms: gender-related difference or gender difference in reporting?

 HX Bai, A M Lee, Z Wang, H Tang, L Yang
- e4 Response to 'Infrapatellar fat pad maximal area and changes in knee symptoms: gender-related difference or gender difference in reporting?' by Bai et al F Pan, W Han, X Wang, Z Liu, X Jin, B Antony, F Cicuttini, G Jones, C Ding
- e5 Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis J Wei, C Zeng, Guang-hua Lei
- e6 Response to: 'Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis' by Wei et al M M Ward, A Dasgupta, R Wang
- e7 Low-dose versus high-dose fish oil for pain reduction and function improvement in patients with knee osteoarthritis

 Y Chen, Y-C Huang, W W Lu
- **e8** Response to: 'Low-dose versus high-dose fish oil for pain reduction and function improvement in patients with knee osteoarthritis' by Chen *et al* C Hill, S E Lester, G Jones
- e9 Bortezomib in refractory ANCA-associated vasculitis: a new option?

P Novikov, S Moiseev, N Bulanov, E Shchegoleva