

| | |
|---|-----|
| Knee arthroplasty in patients with rheumatoid arthritis <i>B. Blum, A. G. Mowat, G. Bentley, and J. R. Morris</i> | 1 |
| Naproxen. A new non-hormonal anti-inflammatory agent <i>H. F. H. Hill, A. G. S. Hill, A. G. Mowat, B. M. Ansell, J. A. Mathews, M. H. Seifert, J. M. Gumpel, and G. A. Christie</i> | 12 |
| Cardiac involvement in rheumatoid arthritis <i>P. A. Bacon and D. G. Gibson</i> | 20 |
| Follow-up study of 100 cases of juvenile rheumatoid arthritis <i>K. M. Goel and R. A. Shanks</i> | 25 |
| IgG, IgA, IgM, and IgD antiglobulins in juvenile rheumatoid arthritis <i>A. Florin-Christensen, R. M. Arana, O. Garcia Morteo, M. E. B. Roux, and O. Hubscher</i> | 32 |
| Serum γ immunoglobulin and β_{1C}/β_{1A} globulin concentrations in juvenile rheumatoid arthritis <i>K. M. Goel, R. W. Logan, W. P. Barnard, and R. A. Shanks</i> | 35 |
| Quantitative aspects of patello-femoral cartilage fibrillation in Liverpool necropsies <i>G. Meachim and I. H. Emery</i> | 39 |
| Leucocyte migration-inhibition in systemic lupus erythematosus <i>P. Hughes, S. Holt, and N. R. Rowell</i> | 48 |
| Relationship of the erythrocyte sedimentation rate to viscosity and plasma proteins in rheumatoid arthritis <i>R. A. Crockson and A. P. Crockson</i> | 53 |
| Effect of glucocorticoids on lysosomes in synovial lining cells in human rheumatoid arthritis <i>L. Bitensky, R. G. Butcher, J. J. Johnstone, and J. Chayen</i> | 57 |
| Effects of intra-articular corticosteroids <i>in vivo</i> on synovial fluid variables in rheumatoid synovitis <i>E. J. Goetzl, N. E. Bianco, J. S. Alpert, C. B. Sledge, and P. H. Schur</i> | 62 |
| Identification of bacteria from blood and joint fluids of human subjects as <i>Bacillus licheniformis</i> <i>P. Pease</i> | 67 |
| Search for mycoplasma in synovial fluids from patients with rheumatoid arthritis <i>G. D. Windsor, A. Nicholls, R. N. Maini, D. G. ff. Edward, R. M. Lemcke, and D. C. Dumonde</i> | 70 |
| Simple method of diagnostic screening for amyloidosis <i>B. Stenkvist, P. Westermark, and L. Wibell</i> | 75 |
| The arthritis of Constantine IX <i>D. E. Caughey</i> | 77 |
| Rheumatoid arthritis of the robust reaction type <i>W. H. D. De Haas, W. De Boer, F. Griffioen, and P. Oosten-Elst</i> | 81 |
| Vertebral changes in ochronosis <i>R. Lagier and S. Sit'aj</i> | 86 |
| Statistical appendix | |
| Digest of data on the rheumatic diseases. 5 <i>P. H. N. Wood and C. L. McLeish</i> | 93 |
| Heberden Society | 106 |
| Reviews | 112 |

CONTENTS OF VOLUME 33

No. 1. JANUARY, 1974

| | |
|---|-----|
| Knee arthroplasty in patients with rheumatoid arthritis <i>B. Blum, A. G. Mowat, G. Bentley, and J. R. Morris</i> | 1 |
| Naproxen. A new non-hormonal anti-inflammatory agent <i>H. F. H. Hill, A. G. S. Hill, A. G. Mowat, B. M. Ansell, J. A. Mathews, M. H. Seifert, J. M. Gumpel, and G. A. Christie</i> | 12 |
| Cardiac involvement in rheumatoid arthritis <i>P. A. Bacon and D. G. Gibson</i> | 20 |
| Follow-up study of 100 cases of juvenile rheumatoid arthritis <i>K. M. Goel and R. A. Shanks</i> | 25 |
| IgG, IgA, IgM, and IgD antiglobulins in juvenile rheumatoid arthritis <i>A. Florin-Christensen, R. M. Arana, O. Garcia Morteo, M. E. B. Roux, and O. Hubscher</i> | 32 |
| Serum immunoglobulin and β_{1C}/β_{1A} globulin concentrations in juvenile rheumatoid arthritis <i>K. M. Goel, R. W. Logan, W. P. Barnard, and R. A. Shanks</i> | 35 |
| Quantitative aspects of patello-femoral cartilage fibrillation in Liverpool necropsies <i>G. Meachim and I. H. Emery</i> | 39 |
| Leucocyte migration-inhibition in systemic lupus erythematosus <i>P. Hughes, S. Holt, and N. R. Rowell</i> | 48 |
| Relationship of the erythrocyte sedimentation rate to viscosity and plasma proteins in rheumatoid arthritis <i>R. A. Crockson and A. P. Crockson</i> | 53 |
| Effect of glucocorticoids on lysosomes in synovial lining cells in human rheumatoid arthritis <i>L. Bitensky, R. G. Butcher, J. J. Johnstone, and J. Chayen</i> | 57 |
| Effects of intra-articular corticosteroids <i>in vivo</i> on synovial fluid variables in rheumatoid synovitis <i>E. J. Goetzel, N. E. Bianco, J. S. Alpert, C. B. Sledge, and P. H. Schur</i> | 62 |
| Identification of bacteria from blood and joint fluids of human subjects as <i>Bacillus licheniformis</i> <i>P. Pease</i> | 67 |
| Search for mycoplasma in synovial fluids from patients with rheumatoid arthritis <i>G. D. Windsor, A. Nicholls, R. N. Maini, D. G. ff. Edward, R. M. Lemcke, and D. C. Dumonde</i> | 70 |
| Simple method of diagnostic screening for amyloidosis <i>B. Stenkvist, P. Westermarck, and L. Wibell</i> | 75 |
| The arthritis of Constantine IX <i>D. E. Caughey</i> | 77 |
| Rheumatoid arthritis of the robust reaction type <i>W. H. D. De Haas, W. De Boer, F. Griffioen, and P. Oosten-Elst</i> | 81 |
| Vertebral changes in ochronosis <i>R. Lagier and Š. Sit'aj</i> | 86 |
| Statistical appendix | |
| Digest of data on the rheumatic diseases. 5 <i>P. H. N. Wood and C. L. McLeish</i> | 93 |
| Heberden Society | 106 |
| Reviews | 112 |

No. 2. MARCH, 1974

| | |
|---|-----|
| Quantitation of thermography in arthritis | |
| I. The thermographic index | |
| <i>A. J. Collins, E. F. J. Ring, J. A. Cosh, and P. A. Bacon</i> | 113 |
| Periarthritis of the shoulder | |
| <i>P. N. Lee, M. Lee, A. M. M. Haq, E. B. Longton, and V. Wright</i> | 116 |
| Treatment of the shoulder-hand syndrome with corticosteroids | |
| <i>A. G. Mowat</i> | 120 |
| Intra-articular urokinase in rheumatoid arthritis | |
| <i>R. D. Sturrock, C. Watkin, T. Williamson, and W. Carson Dick</i> | 124 |
| Use of yttrium 90 in persistent synovitis of the knee | |
| II. Direct comparison of yttrium colloid resin and yttrium citrate | |
| <i>J. M. Gumpel, H. E. A. Farran, and E. D. Williams</i> | 126 |
| Double-blind cross-over comparison of indomethacin, flurbiprofen, and placebo in ankylosing spondylitis | |
| <i>R. D. Sturrock and F. Dudley Hart</i> | 129 |
| Depression in rheumatoid disease | |
| <i>G. Zaphiropoulos and H. C. Burry</i> | 132 |
| Measurement of spinal mobility | |
| <i>F. Dudley Hart, D. Strickland, and P. Cliffe</i> | 136 |
| Articular and cutaneous manifestations of gonorrhoea | |
| <i>M. H. Seifert, A. P. Warin, and A. Miller</i> | 140 |
| Role of the reticuloendothelial system in the anaemia of rheumatoid arthritis | |
| <i>R. M. Bennett, P. J. L. Holt, and S. M. Lewis</i> | 147 |
| Rheumatoid factor activity in heroin addicts on methadone maintenance | |
| <i>H. Spiera, I. Oreskes, and B. Stimmel</i> | 153 |
| Articular cartilage changes in Caucasian and Asian hip joints | |
| <i>P. D. Byers, F. T. Hoaglund, G. S. Purewal, and A. C. M. C. Yau</i> | 157 |
| α_1 -Antitrypsin in serum and synovial fluid in rheumatoid arthritis | |
| <i>H. A. Swedlund, G. G. Hunder, and G. J. Gleich</i> | 162 |
| HL-A antigens and the sicca syndrome | |
| <i>R. D. Sturrock, B. A. Canesi, H. M. Dick, and W. Carson Dick</i> | 165 |
| Neutrophil chemotaxis in systemic lupus erythematosus | |
| <i>R. A. Clark, H. R. Kimball, and J. L. Decker</i> | 167 |
| Virus resistance transferred from human rheumatoid to rabbit synovial cells | |
| I. Methods and results of intra-articular injection of human cells into rabbit joints | |
| <i>C. Smith, D. Hamerman, R. Janis, and E. Habermann</i> | 173 |
| II. Cell fusion | |
| <i>C. Smith and D. Hamerman</i> | 180 |
| Effect of Freund's adjuvant on the mitogenic responses of rat lymphocytes | |
| <i>L. Kourounakis and M. A. Kapusta</i> | 185 |
| Book Review | 190 |
| Note | 190 |

| | |
|--|-----|
| No. 3. MAY, 1974 | |
| Familial association of rheumatoid arthritis and fibrosing alveolitis <i>R. C. Hilton and D. A. Pitkeathly</i> | 191 |
| Destructive arthropathy in chondrocalcinosis articularis <i>A. J. Richards and E. B. D. Hamilton</i> | 196 |
| Deforming arthropathy in systemic lupus erythematosus <i>A. S. Russell, J. S. Percy, W. M. Rigal, and G. L. Wilson</i> | 204 |
| Ankylosing hyperostosis. I. Clinical and radiological features <i>J. Harris, A. R. Carter, E. N. Glick, and G. O. Storey</i> | 210 |
| Rosette formation in rheumatoid and non-rheumatoid states <i>R. A. Durance, A. Micheli, and G. H. Fallet</i> | 216 |
| Comparison of ultrasound and positive contrast arthrography in the diagnosis of popliteal and calf swellings <i>H. B. Meire, D. J. Lindsay, D. R. Swinson, and E. B. D. Hamilton</i> | 221 |
| Cytology of rheumatoid synovial cells in culture | |
| I. Composition and sequence of cell populations in cultures of rheumatoid synovial fluid <i>J. M. K. Mackay, G. Panayi, W. A. Neill, A. Robinson, W. Smith, B. P. Marmion, and J. J. R. Duthie</i> | 225 |
| II. Association of polykaryocytes with rheumatoid and other forms of arthritis <i>G. S. Panayi, J. M. K. Mackay, W. A. Neill, J. N. McCormick, B. P. Marmion, and J. J. R. Duthie</i> | 234 |
| Effect of cell-bound hyaluronic acid on the infectivity of Newcastle disease virus for human synovial cells <i>in vitro</i> <i>B. J. Clarris, J. R. E. Fraser, and S. J. Rodda</i> | 240 |
| High levels of serum complement factors in juvenile rheumatoid arthritis <i>H. M. Höyeraal and O. J. Mellbye</i> | 243 |
| Humoral immunity in juvenile rheumatoid arthritis <i>H. M. Höyeraal and O. J. Mellbye</i> | 248 |
| Hidden rheumatoid factor in seronegative juvenile rheumatoid arthritis <i>T. Moore, R. W. Dorner, and J. Zuckner</i> | 255 |
| IgG anti-IgG antibodies in rheumatoid arthritis and certain other conditions <i>J. L. Abruzzo and R. Heimer</i> | 258 |
| Occurrence of antigammaglobulins in effusion fluids of diverse aetiology <i>L. P. Parker, C. W. Seward, and C. K. Osterland</i> | 262 |
| Studies on 4-allyloxy-3 chlorophenylacetic acid (Alclofenac) <i>M. Aylward, R. J. Parker, and J. Maddock</i> | 268 |
| Effect of imipramine on the rheumatoid factor titre of psychotic patients with depressive symptomatology <i>G. G. Haydu, L. Goldschmidt, and A. D. Drymiotis</i> | 273 |
| Effect of oral fructose on urate production <i>B. T. Emmerson</i> | 276 |

No. 4. JULY, 1974

| | |
|--|-----|
| Pathology of the dorsal spine in ankylosing hyperostosis <i>B. Vernon-Roberts, C. J. Pirie, and V. Trenwith</i> | 281 |
| Follow-up study of juvenile chronic polyarthritis with particular reference to histocompatibility antigen W.27 <i>J. Edmonds, R. I. Morris, A. L. Metzger, R. Bluestone, P. I. Terasaki, B. Ansell, and E. G. L. Bywaters</i> | 289 |
| Lung function in rheumatoid arthritis. A clinic survey <i>C. Davidson, A. G. F. Brooks, and P. A. Bacon</i> | 293 |
| Gout and hyperlipidaemia <i>T. Gibson and R. Grahame</i> | 298 |
| Withdrawal of allopurinol in patients with gout <i>W. Y. Loebel and J. T. Scott</i> | 304 |
| Association between hypouricaemia and jaundice <i>L. Schlosstein, I. Kippen, R. Bluestone, M. W. Whitehouse, and J. R. Klinenberg</i> | 308 |
| Factors affecting urate solubility <i>in vitro</i> <i>I. Kippen, J. R. Klinenberg, A. Weinberger, and W. R. Wilcox</i> | 313 |
| Role of hyaluronic acid in joint lubrication <i>D. A. Swann, E. L. Radin, M. Nazimiec, P. A. Weisser, N. Curran, and G. Lewinnek</i> | 318 |
| Scanning electron microscopy of superficial defects in articular cartilage <i>F. N. Ghadially, R. L. Ailsby, and A. F. Oryschak</i> | 327 |
| Giant cell tumour associated with rheumatoid arthritis <i>A. Reginato, V. Martinez, H. R. Schumacher, and J. Torres</i> | 333 |
| Virus antibody in synovial fluid of rheumatoid and control patients <i>F. Stanford</i> | 342 |
| Mycoplasmas and rheumatoid arthritis <i>S. M. Stewart, J. J. R. Duthie, J. M. K. Mackay, B. P. Marmion, and W. R. M. Alexander</i> | 346 |
| Quantitation of thermography in arthritis using multi-isothermal analysis. II. Effect of nonsteroidal anti-inflammatory therapy on the thermographic index <i>E. F. J. Ring, A. J. Collins, P. A. Bacon, and J. A. Cosh</i> | 353 |
| Native DNA binding in rheumatoid arthritis <i>P. G. Rochmis, H. Palefsky, M. Becker, H. Roth, and N. J. Zvaifler</i> | 357 |
| <i>In vitro</i> studies on peripheral blood leucocytes in rheumatoid arthritis <i>H. A. Ménard, T. Haim, and A. P. Peltier</i> | 361 |
| Differences in serum IgG structure in health and rheumatoid disease. Circular dichroism studies <i>P. M. Johnson, J. Watkins, P. M. Scopes, and B. M. Tracey</i> | 366 |
| Antivascular antibody <i>D. A. Person, C. M. Leatherwood, and J. T. Sharp</i> | 371 |
| Effect of immunosuppression on arthritis in mice induced by <i>Mycoplasma pulmonis</i> <i>G. Taylor, D. Taylor-Robinson, and G. Slavin</i> | 376 |
| Thermoanalytical and histological study of intra-articular papain-induced degradation and repair of rabbit cartilage. I. Immature animals <i>T. Farkas, M. Bihari-Varga, and T. Biró</i> | 385 |
| Occasional Survey: Pharmacology of uricosuric drugs <i>I. Kippen, M. W. Whitehouse, and J. R. Klinenberg</i> | 391 |
| Heberden Society | 397 |
| Review | 412 |
| Note | 412 |

| | |
|---|-----|
| No. 5. SEPTEMBER, 1974 | |
| Experimental herpes virus arthritis. Factors in chronicity <i>P. A. Bacon, R. Bluestone, L. S. Goldberg, F. W. Webb, C. M. Pearson, M. Cooke, and J. G. Stevens</i> | 413 |
| HL-A 27 in Crohn's disease <i>R. K. Jacoby and M. I. V. Jayson</i> | 422 |
| Chemotactic effect of joint effusions <i>B. Stojan, J. F. Borel, and G. Loewi</i> | 425 |
| Spontaneous rupture of the quadriceps tendon in patients on chronic haemo- dialysis <i>M. Lotem, M. D. Robson, and J. B. Rosenfeld</i> | 428 |
| T and B cells in the blood and synovial fluid of rheumatoid patients <i>B. Vernon-Roberts, H. L. F. Currey, and J. Perrin</i> | 430 |
| Studies on blood T and B lymphocytes in rheumatoid arthritis <i>A. Micheli and J. Bron</i> | 435 |
| Effects of steroid hormones on human fibroblasts <i>in vitro</i> . I. Glucocorticoid action on cell growth and collagen synthesis <i>W. Harvey, R. Grahame, and G. S. Panayi</i> | 437 |
| Serum uric acid concentrations in an urbanized South African Negro popu- lation <i>P. Beighton, L. Solomon, C. L. Soskolne, B. Sweet, and G. Robin</i> | 442 |
| Cartilage antigen dependent lymphotoxin release. Immunopathological significance in articular destructive disorders <i>J. H. Herman, J. L. Houk, and M. V. Dennis</i> | 446 |
| Cytology of rheumatoid synovial cells in culture. III. Significance of isolates of of epithelial cell lines <i>J. M. K. Mackay, M. Norval, A. Robinson, D. Tait, H. Hart, B. P. Marmion, A. Muir, and W. A. Neill</i> | 453 |
| Negative complement-fixation tests with rheumatoid factor positive sera. A simple method for selective removal of rheumatoid factor <i>G. Haukenes</i> | 461 |
| Combined titre and fluorescent pattern of IgG antinuclear antibodies using cultured cell monolayers in evaluating connective tissue diseases <i>M. D. Parker and G. P. Kerby</i> | 465 |
| Immunohistological studies of the kidney in systemic lupus erythematosus and systemic sclerosis using antisera to IgG, C3, fibrin, and human renal glomeruli <i>D. G. Scott and N. R. Rowell</i> | 473 |
| Spontaneous rupture of the liver in systemic lupus erythematosus <i>I. Haslock</i> | 482 |
| Report of Symposium : Infection and immunology in the rheumatic diseases | 485 |
| Report of Symposium : Viruses, arthritis, and connective tissue disorders | 489 |
| Book review | 493 |
| Note | 493 |

| | |
|---|-----|
| No. 6. NOVEMBER, 1974 | |
| Complement metabolism in the seronegative arthritides <i>K. Whaley, B. Canesi, A. Moseley, W. Morrow, R. Sturrock, W. Mitchell, and W. C. Dick</i> | 495 |
| Pig articular cartilage in organ culture. Effect of enzymatic depletion of the matrix on response of chondrocytes to complement-sufficient antiserum against pig erythrocytes <i>S. J. Millroy and A. R. Poole</i> | 500 |
| Studies on synovial fluid lymphocytes in rheumatoid arthritis <i>P. J. Sheldon, M. Papamichail, and E. J. Holborow</i> | 509 |
| Granulocyte-specific antinuclear factors in synovial fluids and sera from patients with rheumatoid arthritis <i>A. Wiik, E. Jensen, and J. Friis</i> | 515 |
| Isotopic indices as a measure of inflammation in rheumatoid arthritis <i>H. Berry and E. C. Huskisson</i> | 523 |
| Atlanto-axial subluxation in rheumatoid arthritis. A 5-year follow-up study <i>J. A. Mathews</i> | 526 |
| Trial comparing D-penicillamine and gold in rheumatoid arthritis. Preliminary report <i>E. C. Huskisson, T. J. Gibson, H. W. Balme, H. Berry, H. C. Burry, R. Grahame, F. Dudley Hart, D. R. F. Henderson, and J. A. Wojtulewski</i> | 532 |
| Tissue gold levels after chrysotherapy <i>R. Grahame, R. Billings, M. Laurence, V. Marks, and P. J. Wood</i> | 536 |
| Liver disease in patients with joint symptoms <i>A. M. Hilton, B. E. Boyes, P. J. Smith, J. Sharp, and I. W. Dymock</i> | 540 |
| Thiopurinol and purine metabolism. Metabolic and radioisotope studies <i>H. A. Simmonds, A. Cadenhead, J. S. Cameron, T. J. Rising, R. Grahame, and B. M. Dean</i> | 548 |
| Abnormal regulation of carbohydrate metabolism in primary gout <i>H. S. Diamond, A. C. Carter, and E. B. Feldman</i> | 554 |
| Pseudogout in acute neuropathic arthropathy. A clue to pathogenesis? <i>R. M. Bennett, J. C. Mall, and D. J. McCarty</i> | 563 |
| Notice to Contributors: SI units | 567 |
| The use of SI units <i>V. Wright</i> | 568 |
| Heberden Society | 573 |
| Note | 578 |
| Index | 579 |