

The Official Journal of the British Society for Rheumatology

From January 1992 this leading, international journal will be published monthly.

H.A. Bird (*University of Leeds, UK*)

D.L. Scott
M. Walport

The journal also regularly features two editorials, preliminary and brief papers, case reports, view points, practical, clinical articles, clinical conundrums, book reviews and a vigorous correspondence column. Supplements devoted to specific topics or symposia also appear once or twice a year - free of charge.

***Published by
Baillière Tindall***

***A.C.R. / EULAR Members**
Rate: US\$99.00

JMD/10911/A813

Send orders to:
Journals Marketing Dept.
Harcourt Brace Jovanovich Ltd.
24-28 Oval Rd. London NW1 7DX, U.K.

or
Journals Promotion Dept.
Academic Press Inc.
1250 Sixth Ave. San Diego, CA 92101,
U.S.A.

Journals Promotion Dept.
Academic Press Inc.

**1250 Sixth Ave. San Diego, CA 92101,
U.S.A.**

Unlike H₂-antagonists, Cytotec puts back the G.I. prostaglandins NSAIDs take out.



NSAIDs cause ulcers by depleting mucosal protective prostaglandins.

Cytotec, a prostaglandin analogue, restores this protection.

Unlike H₂-antagonists¹ Cytotec not only inhibits acid secretion, but also stimulates bicarbonate secretion², increases mucus secretion¹ and enhances gastric mucosal blood flow³.

Consequently Cytotec prevents ulceration in the majority of patients taking NSAIDs.^{4,5}

CYTOTEC[®]
misoprostol

Softens the impact of NSAIDs on the stomach

CYTOTEC Abbreviated Prescribing Information. Presentation: Tablet containing misoprostol 200 micrograms. **Uses:** Healing of duodenal and gastric ulcer induced by non-steroidal anti-inflammatory drugs (NSAID) in arthritic patients at risk, whilst continuing NSAID therapy. Prophylaxis of NSAID-induced ulcers. Healing of duodenal and gastric ulcer. **Dosage: Adults including the elderly. Healing of duodenal and gastric ulcer:** 800 micrograms daily in four divided doses taken with breakfast and/or each main meal and at bedtime. **Prophylaxis of NSAID-induced ulcer:** 200 micrograms twice daily, three times daily or four times daily. Refer to data sheet for additional information. **Contraindications:** Pregnant women, women planning a pregnancy, patients allergic to prostaglandins. **Warnings:** Pre-menopausal women should use effective contraception and be advised of the risks of taking Cytotec if pregnant. **Precautions:** Cytotec does not produce hypotension in clinical studies at ulcer-healing doses, nevertheless exercise caution in disease states where hypotension might precipitate severe complications. Cytotec should not be administered during breast feeding. **Adverse effects:** Diarrhoea, abdominal pain, dyspepsia, flatulence, nausea, vomiting, dizziness, skin rashes. In women – menorrhagia, intermenstrual bleeding, vaginal bleeding. **Basic NHS Price:** £13/56 tablets. **Product Licence Number:** 0020/0115. **References:** 1. Wilson DE, Quadros E, Rajapaksa T, Adams A, Noar M. Dig Dis Sci 1986; 37 (suppl 1): 1262s-129s. 2. Isenberg JL, Hogan DL, Koss MA, Selling JA. Gastroenterology 1986; 91: 370-378. 3. Sato N, Kawano S, Fukuda M, Tsuji S, Kamada T. Am J Med 1987; 83 (suppl 1A): 15-21. 4. Graham DY, Agrawal NM, Roth SH. Lancet 1988; ii: 1277-1280. 5. Searle Data on file.

SEARLE
GOLD CROSS

G.D. Searle & Co. Ltd.,
P.O. Box 53, Lane End Road, High Wycombe, Bucks. HP12 4HL
Cytotec, Gold Cross and Searle are registered trade marks.
Data sheet with full prescribing information is available on request.

The Clear Choice

in
Clinical
Rheumatology

The Journal of Rheumatology

VOLUME 17: NO. 6

JUNE 1990

Editorials

Controversies in Juvenile Dermatomyositis
P. A. Maresca 731

A Reassessment of the Antiphospholipid Syndrome
J. S. Branch 736

Medications of Cocaine and Other Stimulating Rheumatic Illnesses
D. J. Rees 741

Study of ATA in Susceptible Strains of Rats II: Effect of Oral Administration of BCG and PPD
B. S. Arora, A. M. Baric, B. S. Arora 746

Induction of MHC Class I and II Antigen Expression in Relation to Lymphocytic Infiltrates and IFN- γ to Patients with RA
J. E. Medsick, G. L. Hogan 751

In Vivo Administration of IFN- γ to Patients with RA Decreases Numbers of Circulating T Cells
S. H. Rhee, G. W. Cannon, R. Wald 756

Anti-Fibronectin Antibody Response to the Injection of Anticardiolipin HLA Antibodies in Patients with RA
M. Aboody, M. M. Mowbray, J. E. Medsick, D. Levy, B. A. Combe, J. S. Arora 761

A One-Year, Open, Prospective Study of Sulfasalazine in the Treatment of RA
M. Chalmers, D. S. Sigafoos, J. E. Medsick 766

SLE: VI Analysis of the Interrelationship with Pregnancy
H. C. Nossent, T. J. G. Swaan 771

Arthropathy of Hands and Feet in SLE
P. A. Reilly, G. Evison, N. J. McHugh, P. J. Maddison 776

Lupus Anticoagulant - aPL and Thrombophilia Relation to Protein C - Protein S
D. A. Tassinis, J. Serrano, P. E. Marks, G. A. Marber 785

Direct Quantitation of Skin Elasticity in Systemic Sclerosis
S. P. Balogh, A. Maciewicz, A. J. S. Kew, M. R. Neuman 790

Eosinophilic Neuritis, Perimyositis, and Vasculitis Associated with Ingestion of L-Tryptophan
J. A. Nauman, A. E. Finn, J. R. Sedman, B. J. Gubler, A. S. Peress, F. Miller, S. Sokoloff 795

A Prospective Nationwide Cross-Sectional Study of NSAID Usage in 133 Patients with AS
A. J. Carr, J. E. Elwood 800

Sacroiliitis in Psoriasis: Relationship to Peripheral Arthritis and HLA-B27
M. E. Suarez-Almazor, A. S. Russell 804

Longitudinal Study of Clinical and Radiological Progression in Psoriatic Arthritis
D. D. Gladman, F. Stahoff-Bradley, C. H. Chang, R. Leebman, M. L. Russell 809

Crosscultural Reliability of the Physical Ability Dimension of the HAQ
M. B. Ferraz, L. Magalhães Oliveira, P. M. P. Kato, E. Alra, P. Tugwell 813

The Effect of Human IL-1 on Proteoglycan Metabolism in Human and Porcine Cartilage Explants
J. Nietfeld, B. Wildbrin, A. Der-Ottter, J. Huber, O. Huber-Bruning 818

Analysis of a Pediatric Rheumatology Clinic Population
A. M. Rosenberg 827

Contents continued opposite inside back cover

The Journal that has the most relevance to your work.

Stimulating editorials, research articles, case reports and lively correspondence about things that interest you and often apply to your practice.

Complete the coupon below and subscribe now.

Please enter my subscription to The Journal of Rheumatology

Reduced rates for Trainees: \$40.00
per calendar year with accompanying letter from supervisor

Rates per calendar year
Individuals: \$130.00
Institutions: \$150.00

Airmail add \$70.00

Back issues available at \$20.00 per issue when in stock

A major supplement (when published) is included with each subscription. Any supplements are included with the price.

NAME (Please Print)

ADDRESS

PROVINCE

CITY

POSTAL CODE

COUNTRY

BILL ME

AMOUNT ENCLOSED \$

FAX NUMBER

TELEPHONE NUMBER

Mail completed form to:
The Journal of Rheumatology
1051 Clinton St., Buffalo, NY 14206

All subscriptions are for 1 calendar year. Subscriptions after May will be charged an additional \$5.00 per back issue.

SUBSCRIBE NOW!

CIA software—well written and “user-friendly”

Confidence Interval Analysis (CIA) is a computer program that takes the sweat out of calculating confidence intervals. Devised by Martin Gardner, professor of medical statistics, MRC Environmental Epidemiology Unit, University of Southampton. The program is menu driven with easy access to each chapter and to the method required within each chapter. Topics covered include calculating confidence intervals for:

- means and their differences
- proportions and their differences
- regression and correlation
- relative risks and odds ratios
- survival analyses
- non-parametric analyses


For each method relevant intermediate statistics and the required confidence interval are produced on the screen. Complete with its own manual, the program may also be used in conjunction with the book *Statistics with Confidence* (see below), which provides numerous worked examples. The software is available for IBM compatibles on either a 5¼" or a 3½" disk.

... well written, “user-friendly” ... an invaluable companion to the book and recommended highly
British Journal of Anaesthesia

... highly recommended to doctors (and statisticians). *CIA* ... will save a lot of time and pain.”
British Medical Journal

... an efficient and precisely focused piece of software.”
Applied Statistics

Price: £65.00 Educational establishments, research institutes, and the NHS—£45.95. Prices include VAT in the UK and air mail despatch abroad.



Over 10,000 copies sold worldwide

... a welcome addition to the bookshelves ... as it is very practical in its approach ...
The Pharmaceutical Journal

“The great value of this book is that it presents, in an easily understood form, the methods which will be needed in most situations.”

Journal of Epidemiology and Community Health

“... I found this book admirably suited to its purpose.”

Clinical Practice and Physiological Measurement

“This book is strongly recommended for all those who are involved in medical research and the preparation of papers for publication.”

The Medical Journal of Australia

UK £7.95; Abroad £9.50 (BMA members £7.45 or £9.00) including postage, by air abroad



ORDER FORM

BRITISH MEDICAL JOURNAL, PO Box 295, London WC1H 9TE, any leading bookseller, or the BMJ bookshop in BMA House

Please send me _____ copies of *Confidence Interval Analysis (CIA)*

☐ £65.00 (full price) ☐ £45.95 (educational establishments, research institutes, and the NHS)

Size of disk required ☐ 5¼" disk ☐ 3½" disk (please tick relevant box)

Please send me _____ copies of *Statistics with Confidence – Confidence intervals and statistical guidelines*

Enclosure ☐ please make cheques payable to **British Medical Journal**

Debit my credit card ☐ American Express ☐ Mastercard ☐ Visa Card No. _____

Card Expiry Date _____ Signature _____

BMA Membership No. (when applicable) _____

NAME (BLOCK LETTERS PLEASE) _____

ADDRESS _____


POSTCODE _____

Is early joint damage acceptable in today's RA patient?

The majority of patients with Rheumatoid Arthritis will suffer erosive joint damage within 2 years of symptom onset offering a relatively narrow window of opportunity when disease modifying treatment can achieve most.¹

Today, our potential to suppress early joint damage in RA is highlighted by the results of a recent trial.² In this double-blind, randomised study in patients of median disease duration less than 9 months a significant slowing of joint damage was evident with Salazopyrin EN-tabs compared with hydroxychloroquine at 24 and 48 weeks.² Furthermore, the difference was still significant at 3-year follow-up.³ In the words of the authors, "the first blow is half the battle".³

Radiographic progression in patients treated with Salazopyrin EN-tabs or hydroxychloroquine.^{2,3}



When NSAIDs alone fail to preserve function and mobility

Salazopyrin[®] EN-tabs

enteric coated sulphasalazine

Today's choice to preserve tomorrow's lifestyle.

Abbreviated Prescribing Information

Presentation: Yellow enteric coated tablets, logo on one side, containing sulphasalazine 0.5g. **Uses:** Rheumatoid Arthritis unresponsive to NSAIDs. **Dose:** Do not break tablets. **Adults/Elderly:** 0.5g/day for a week, dose increasing by 0.5g/day weekly to a maximum of 3g/day in divided doses. **Children:** no recommendation. **Contra-indications:** Sulphonamide or salicylate sensitivity. **Infants** under 2 years of age. **Precautions:** Monthly blood checks and LFTs for 3 months. **Caveat:** hepatic, renal disease, porphyria or glucose-6-phosphate dehydrogenase deficiency. **Adverse Effects:** Nausea, headache, rash, loss of appetite, raised temperature. **Rarely serious ADRs:** Haematological: e.g. marrow depression, leucopenia, neutropenia, agranulocytosis, aplastic anaemia; Hypersensitivity: e.g. Stevens-Johnson syndrome, photosensitivity, lung complications, fever; **G-I Reactions:** e.g. hepatitis; **CNS:** e.g. neuropathy; **Fertility:** reversible oligospermia; **Renal:** e.g. proteinuria. **Progression of disease:** for teratogenic or iatrogenic hazards. **Drug in breast milk** should not be a risk to healthy infant. **Package Quantities:** 125 tablets in easy-open pack. **Basic NHS Cost:** EN-tabs 125 (UK price) £12.75. **Legal Status:** POM (Prescription Only Medicine). **UK Product Licence Number:** PL 0009/5007R. **Product Authorisation Number (Ireland):** PA107/5/2. **Product Licence and Product Authorisation Holder:** Pharmacia Biosystems Ltd, Davy Avenue, Knowlhill, Milton Keynes MK5 8PH. **Distributed in UK by:** Kabi Pharmacia Ltd, Davy Avenue, Knowlhill, Milton Keynes MK5 8PH. **Tel:** (0908) 661101. **Distributed in Ireland by:** Kabi May Roberts for Kabi Pharmacia (Ireland) Ltd, Chapel Road, Dublin 24.

References

1. Brook A, Corbett M. *Annals of the Rheumatic Diseases* 1977; 36: 773. 2. Van der Heijde DM, et al. *Lancet* 1989; i: 1036-1038. 3. Van der Heijde DM, et al. *Lancet* 1990; i: 539.