PostScript

MATTERS ARISING

If you have a burning desire to respond to a paper published in the *Annals of the Rheumatic Diseases*, why not make use of our "rapid response" option?

Log on to our website (www.annrheumdis.com), find the paper that interests you, and send your response via email by clicking on the "eLetters" option in the box at the top right hand corner.

Providing it isn't libellous or obscene, it will be posted within seven days. You can retrieve it by clicking on "read eLetters" on our homepage.

The editors will decide as before whether also to publish it in a future paper issue.

Birth weight, osteoarthritis of the hand, and cardiovascular disease in men

Haara *et al* reported recently that the presence of osteoarthritis (OA) in at least one hand joint significantly predicted cardiovascular mortality in a sample of 1560 Finnish men aged 30 or over.¹ OA was ascertained radiographically and classified using Kellgren's scoring system. The association between hand OA and male cardiovascular mortality was independent of age, education, history of workload, and body mass index.

We have investigated the prevalence of hand OA in a British national cohort of 1467 men and 1519 women and looked at associations between hand OA and measurements of weight and height from birth to adulthood.² The MRC National Survey of Health and Development is a prospective cohort study that has followed up a large sample of people born in England, Scotland, and Wales during a single week in 1946, with most recent data collection at age 53 years. Clinical hand OA was defined using previously validated clinical criteria and included the identification of Heberden's nodes, Bouchard's node, or squaring at the carpometacarpal joint. The prevalence of OA in at least one hand joint was 19% in men and 30% in women. We found that hand OA was significantly associated with higher weight at age 26, 43, and 53 years and, furthermore, it was related to lower weight at

birth (table 1). These associations were seen in men but not women.

These findings provide the first evidence that lower birth weight may be associated with the development of adult hand OA. The underlying mechanism is not known but may reflect programming, a phenomenon whereby environmental influences acting at critical periods during early development have long term effects on structure and function of different systems.^{3,4} The relation between adult coronary heart disease and poor growth in utero is well established.⁵⁻⁷ Furthermore, recent studies suggest added components of risk attributable to childhood weight gain and adult obesity.⁸ We suggest that the relation between hand OA and cardiovascular mortality demonstrated by Haara and colleagues may be explained by both diseases sharing a common origin in adverse early environmental conditions.

J Poole, A A Sayer, V Cox, C Cooper

MRC Environmental Epidemiology Unit, University of Southampton, UK

D Kuh, R Hardy, M Wadsworth

MRC National Survey of Health and Development, Royal Free and University College, London, UK

Correspondence to: Dr A A Sayer, MRC Environmental Epidemiology Unit, University of Southampton, Southampton General Hospital, Southampton SO16 6YD, UK; aas@mrc.soton.ac.uk

References

- 1 Haara MM, Manninen P, Kroger H, Arokoski JPA, Karkkainen A, Knekt P, *et al*. Osteoarthritis of finger joints in Finns aged 30 or over: prevalence, determinants, and association with mortality. *Ann Rheum Dis* 2003;62:151-8.
- 2 Sayer AA, Poole J, Cox V, Kuh D, Hardy R, Wadsworth M, *et al*. Weight from birth to 53 years: a longitudinal study of the influence on clinical hand osteoarthritis. *Arthritis Rheum* 2003;48:1030-3.
- 3 Kuh D, Hardy R, Chaturvedi N, Wadsworth ME. Birth weight, childhood growth and abdominal obesity in adult life. *Int J Obes Relat Metab Disord* 2002;26:40-7.
- 4 Barker DJ, Eriksson JG, Forsen T, Osmond C. Fetal origins of adult disease: strength of effects and biological basis. *Int J Epidemiol* 2002;31:1235-9.
- 5 Barker DJP, Osmond C, Winter PD, Margetts B, Simmonds SJ. Weight in infancy and death from ischaemic heart disease. *Lancet* 1989;ii:577-80.
- 6 Martyn CN, Barker DJB, Osmond C. Mothers' pelvic size, fetal growth, and death from stroke and coronary heart disease in men in the UK. *Lancet* 1996;348:1264-8.

7 Frankel S, Elwood P, Sweetnam P, Yarnell J, Davey Smith G. Birthweight, body-mass index, and incident coronary heart disease. *Lancet* 1996;348:1478-80.

8 Eriksson JG, Forsen T, Tuomilehto J, Osmond C, Barker DJP. Early growth and coronary heart disease in later life: longitudinal study. *BMJ* 2001;322:949-53.

Author's reply

In a prospective cohort study Sayer *et al* found that lower birth weight was associated with the development of adult hand OA in men. As the authors mentioned, the relation between adult coronary heart disease and poor growth in utero is well established. Based on these facts they suggest that the relation between hand OA and cardiovascular mortality in men may be explained by both diseases sharing a common origin in adverse early environmental conditions. In my opinion these interesting assumptions make sense, the results were well presented, and the the study setting was well established. It would be interesting to study these relationships also in our cohort, but unfortunately, we have no birth weight and related factors of early childhood in our database. However, the association between hand OA and cardiovascular diseases needs further studies to clarify this point.

The limitation in their study was the clinical diagnosis of hand OA. Hand radiography has been proved to be the best method for defining hand OA. Therefore, I suggest that the authors should consider further how clinical diagnosis might have affected the results.

M M Haara

Department of Public Health and General Practice, University of Kuopio, PO Box 1627, FIN-70211 Kuopio, Finland

Correspondence to: Dr M M Haara; mhaara@hytti.uku.fi

BOOK REVIEW

Imaging in rheumatology

Eds D A Isenberg, P Renton. (Pp 471, 125.) Oxford: Oxford University Press, 2002. ISBN 0-19-263263-9.

Almost 60 contributors collaborated with the editors to produce this first edition on imaging of the rheumatic diseases. The great majority of the contributors are from the UK, with most of them working in departments of rheumatology.

The aim is to provide the rheumatologist as well as the radiologist with a comprehensive review of the currently available imaging modalities. The editors' purpose was to outline how these methods are used to investigate rheumatic symptoms and in the long term management of patients with diverse diseases of joints, muscles, and bones.

There are three sections. The first six chapters focus on modes of imaging and provide the reader, especially the non-radiologist, with a background of knowledge of the available methods. The five chapters of the second

Table 1 Association between birth weight and clinical hand osteoarthritis (OA) in men aged 53 years

Birth weight (kg)	Number		Hazard ratio (95% CI)
	With OA	Without OA	
<3.1	82	269	1.7 (1.2 to 2.5)
-3.5	85	325	1.5 (1.0 to 2.2)
-3.8	58	290	1.1 (0.8 to 1.7)
>3.8	53	300	1.0

p Value for trend = 0.002.

section choose a clinical symptom-oriented approach such as localised pain in the arms and legs or joint swelling. While these first two sections focus on musculoskeletal imaging rather than rheumatology alone, the third and largest section covers imaging of the different rheumatic conditions.

Most chapters are comprehensive and up to date such as those covering the modes of imaging. The MRI chapter outlines the outstanding ability of this modality to image joints as a whole organ including the soft tissues, bone, and cartilage as well as including functional parameters such as contrast media uptake. The growing importance of this imaging tool in rheumatology is emphasised in most chapters.

Imaging examples are generally well chosen and the image quality is good. There are seven pages of coloured illustrations in the middle of the book which would have been better placed adjacent to their respective texts.

Each chapter stands by itself and, therefore, it is possible to focus directly on the matter of interest. However, as a consequence it is impossible to avoid overlaps between the different topics of the book. This is a minor inconvenience when the book is read as a whole. On the other hand, it allows each chapter to be comprehensive, which is an advantage when chapters are read individually.

Most chapters are well referenced and take recent publications into account.

Chapters differ in length, references, and illustrations, indicating that each author has been left the freedom to organise the individual chapter. For example, 19 pages are devoted to the chapter on imaging of antiphospholipid antibody syndrome, whereas only 14 pages cover imaging of the seronegative spondyloarthropathies. The excellent chapter on the mostly rare heritable disorders of the skeleton adds to the complete coverage of the topic.

Mention should have been made of some of the interventional techniques radiology can offer the clinician such as fluoroscopic or CT guided periradicular infiltration, facet joint block or vertebroplasty for osteoporotic vertebral fractures. The challenging new applications of multidetector CT scanning were not covered in any of the chapters.

It is perplexing why the topic of bone mineral density is found in the chapters of nuclear medicine and peripheral joint swelling.

The chapters on systemic lupus erythematosus, systemic sclerosis, vasculitides, and antiphospholipid antibody syndrome also comprehensively cover the non-skeletal manifestations and their imaging.

Despite these few critical remarks the authors and editors are to be commended for producing this first edition. We recommend this book especially to the rheumatologist seeking a broad understanding of the radiological manifestations of the rheumatic diseases. It goes well beyond the coverage of only the rheumatic diseases and also provides insight into musculoskeletal imaging as a whole. The radiologist will find important information not included in standard radiology publications, such as epidemiology and clinical manifestations. Though not overwhelming in size, this volume is packed with a wealth of information that will prove useful to all clinicians caring for patients with a rheumatic disease.

F W Roemer, A Mohr, H K Genant
frank.roemer@oarg.ucsf.edu

FORTHCOMING EVENTS

10th European Pediatric Rheumatology Congress

2–5 October 2003; Stresa, Italy

Contact: Organising Secretariat, ECON srl, Via della Moscova 16, 20121 Milan, Italy

Tel: +39 022 900 5745

Fax: +39 022 900 5790

Email: econsrl@tin.it

Website: www.pres.org.uk

International Congress on Arthritis in the Elderly

9–11 October 2003; Milan, Italy

New perspectives in diagnosis and treatment

Contact: Organising Secretariat: Elena Romero

Tel: +39 02 65 71 200

Fax: +39 02 65 71 270

Email: eldrheum@oic.it

7th EULAR Sonography Course

9–12 October, 2003; Rome, Italy

An introductory and practical course on musculoskeletal ultrasonography

Scientific secretariat: Professor Guido Valesini
Email: annamaria.iagrocchio@uniroma1.it

Contact: Organising secretariat: Michela Civelli, EDRA Spa, Medical Publishing and News Media, Viale Monza, 133 - 20125, Milan, Italy
Tel: +39 (0)2 281 72300

Fax: +39 (0)2 281 72399

Email: edracongressi@dsmedigroup.com

OARSI World Congress on Osteoarthritis

12–15 October 2003; Berlin, Germany

Tel: +1 202 367 1177

Fax: +1 202 367 2177

Email: oarsi@oarsi.org

Website: www.oarsi.org

American Back Society: Advanced Diagnosis and Treatment for Neck and Back Pain

13–15 November 2003; Las Vegas, Nevada

24 CME category I units

Tel: +1 510 536 9929

Fax: +1 510 536 1812

Email: info@americanbacksoc.org

Website: http://www.americanbacksoc.org

Fourth International Symposium on Clinical and Economic Aspects of Osteoporosis and Osteoarthritis

14–17 November 2003; Nice, France

Contact: Organisation Secretariat, YP Communication, 108 boulevard G Kleyer, 4000 Liège, Belgium

Tel: +32 (4) 254 12 25

Fax: +32 (4) 254 12 90

Email: yoland@piettecommunication.com

Website: http://nice.piettecommunication.com

2nd International Forum on Geronto-Rheumatology

27–29 November 2003; Amsterdam, The Netherlands

Contact: Erna Kleinjan, project manager Mark Two Communications, PO Box 358, 3830 AK Leusden

Tel: +31 33 434 5730

Fax: +31 33 434 5720

Email: ekleinjan@markt2.nl

Website: www.markt2.nl

International Congress on SLE and Related Conditions

9–13 May 2004, New York, New York, USA

Contact: The Oakley Group, 2014 Broadway, Suite 250, Nashville, Tennessee 37203, USA

Tel: +1 615 322 2785

Fax: +1 615 322 2784

Email: Lupus2004@theoakleygroup.com

Website: http://www.lupus2004.org

IOF World Congress on Osteoporosis

14–18 May 2004; Rio de Janeiro, Brazil

Abstract deadline 14 November 2003

IOF awards are available for scientists:

IOF Claus Christiansen Research Fellowship: €45 000

IOF Servier Young Investigator Fellowship: €40 000

Contact: Congress Secretariat at info@osteofound.org

Website: www.osteofound.org

XLth International Conference on Behçet's Disease

27–31 October 2004; Antalya, Turkey

Contact: Congress Secretariat, Figur Congress and Organization Services Ltd. STI, Ayazmad-eresi Cad. Karadut Sok. No: 7 80888 Dikilitas, Istanbul, Turkey

Tel: +90 (0212) 258 6020

Fax: +90 (0212) 258 6078

Email: behcet2004@figur.net

Website: www.behcet2004.org

Future EULAR congresses

9–12 June 2004; EULAR 2004; Berlin, Germany

8–11 June 2005; EULAR 2005; Vienna, Austria

21–24 June 2006; EULAR 2006; Amsterdam, The Netherlands