



Cover image: Cartilage (closed arrowheads) and bone (open arrowheads) erosion in safranin-O-stained serial tissue sections of knee joints with collagen-induced arthritis having received either virus containing sIL-18R β or luciferase (control). F, femur; I, inflammatory cell mass. See p 280

Editor

Tore K Kvien

Associate Editors

Francis Berenbaum
Hans Bijlsma
Dimitrios Boumpas
Gerd Burmester
Mary Crow
Iain McInnes

Editorial office

Annals of the Rheumatic Diseases
BMJ Publishing Group Ltd
BMA House
Tavistock Square
London WC1H 9JR, UK
T: +44 (0)20 7383 6250
F: +44 (0)20 7383 6668
E: ard@bmj.com

ISSN: 0003-4967 (print)
ISSN: 1468-2060 (online)
Impact Factor: 7.188

Disclaimer: ARD is owned and published by BMJ Publishing Group Ltd (a wholly owned subsidiary of the British Medical Association) and the European League Against Rheumatism. The owners grant editorial freedom to the Editor of ARD. ARD follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

ARD is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions, the BMJ Publishing Group, the European League Against Rheumatism or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury or damage resulting from the use of ARD or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2010 BMJ Publishing Group and European League Against Rheumatism. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without prior permission.

ARD is published by BMJ Publishing Group Ltd, typeset by The Charlesworth Group and printed in the UK on acid-free paper from sustainable forests by Cambrian Printers Limited, Aberystwyth, UK

Annals of the Rheumatic Diseases (ISSN No: 0003-4967) is published monthly by BMJ Publishing Group and distributed in the USA by Mercury International Ltd. Periodicals postage paid at Rahway, NJ, USA. POSTMASTER: send address changes to *Annals of the Rheumatic Diseases*, Mercury International Ltd, 365 Blair Road, Avenel, NJ 07001, USA.

Editorial

- 1 Clinical trials: how to cope with medical needs, ethics and timelines
A Rubbert-Roth, G-R Burmester

Viewpoint

- 4 A new design for registration trials in rheumatoid arthritis allowing secondary head-to-head comparisons with standard of care treatment including biologicals
M Boers

Review

- 7 Magnetic resonance imaging for low back pain: indications and limitations
N J Sheehan

Recommendation

- 12 EULAR/EFORT recommendations for the diagnosis and initial management of patients with acute or recent onset swelling of the knee
R B M Landewé, K P Günther, C Lukas, J Braun, B Combe, P G Conaghan, K Dreinhöfer, D Fritschi, J Getty, H J L van der Heide, T K Kvien, K Machold, C Mihai, M Mosconi, R Nelissen, E Pascual, K Pavelka, M Pleckeyte, W Puhl, L Punzi, W Rütger, M San-Julian, C Tudisco, R Westhovens, E Witso, D M F M van der Heijde

Clinical and epidemiological research

- 20 Clinical efficacy and side effects of antimalarials in systemic lupus erythematosus: a systematic review
G Ruiz-Irastorza, M Ramos-Casals, P Brito-Zeron, M A Khamashta
- 29 Lupus-specific health outcome measure for US patients: the LupusQoL-US version
M Jolly, A S Pickard, C Wilke, R A Mikolaitis, L-S Teh, K McElhone, L Fogg, J Block
- 34 Periodontal disease in patients with ankylosing spondylitis
N Pischon, T Pischon, E Gülmez, J Kröger, P Purucker, B-M Kleber, H Landau, P-G Jost-Brinkmann, P Schlattmann, J Zernicke, G-R Burmester, J-P Bernimoulin, F Buttgerit, J Deter
- 39 The metabolic syndrome is amplified in hypothyroid rheumatoid arthritis patients: a cross-sectional study
H G Raterman, I C van Eijk, A E Voskuyl, M J L Peters, B A C Dijkemans, V P van Halm, S Simsek, W F Lems, M T Nurmohamed
- 43 Elevated liver enzyme tests among patients with rheumatoid arthritis or psoriatic arthritis treated with methotrexate and/or leflunomide
J R Curtis, T Beukelman, A Onofrei, S Cassell, J D Greenberg, A Kavanaugh, G Reed, V Strand, J M Kremer
- 48 Defining minimal disease activity in psoriatic arthritis: a proposed objective target for treatment
L C Coates, J Fransen, P S Helliswell
- 54 Gene-environment interaction between *HLA-DRB1* shared epitope and heavy cigarette smoking in predicting incident rheumatoid arthritis
E W Karlson, S-C Chang, J Cui, L B Chibnik, P A Fraser, I De Vivo, K H Costenbader

- 61 The 10-year follow-up data of the Euro-Lupus Nephritis Trial comparing low-dose and high-dose intravenous cyclophosphamide
F A Houssiau, C Vasconcelos, D D Cruz, G D Sebastiani, E de Ramon Garrido, M G Danieli, D Abramovicz, D Blockmans, A Cauli, H Direskeneli, M Galeazzi, A Gül, Y Levy, P Petera, R Popovic, R Petrovic, R A Sinico, R Cattaneo, J Font, G Depressure, J-P Cosyns, R Cervera
- 65 DAS-driven therapy versus routine care in patients with recent-onset active rheumatoid arthritis
Y P M Goekoop-Ruiterman, J K de Vries-Bouwstra, P J S M Kerstens, M M J Nielsen, K Vos, D van Schaardenburg, I Speyer, P E H Seys, F C Breedveld, C F Allaart, B A C Dijkemans
- 70 Impact of smoking as a risk factor for developing rheumatoid arthritis: a meta-analysis of observational studies
D Sugiyama, K Nishimura, K Tamaki, G Tsuji, T Nakazawa, A Morinobu, S Kumagai

- 82 Does removal of aids/devices and help make a difference in the Childhood Health Assessment Questionnaire disability index?
C Saad-Magalhães, A Pistorio, A Ravelli, G Filocamo, S Viola, R Briè, D Mihaylova, R ten Cate, B Andersson-Gare, V Ferriani, K Minden, P Hashkes, M Rygg, M-J Sauvain, H Venning, A Martini, N Ruperto, for the Pediatric Rheumatology International Trials Organisation (PRINTO)

- 88 Comparison of tocilizumab monotherapy versus methotrexate monotherapy in patients with moderate to severe rheumatoid arthritis: the AMBITION study
G Jones, A Sebba, J Gu, M B Lowenstein, A Calvo, J J Gomez-Reino, D A Siri, M Tomšič, E Alecock, T Woodworth, M C Genovese
- 97 Measure of function in rheumatoid arthritis: individualised or classical scales?
R Seror, F Tubach, G Baron, F Guillemin, P Ravaud
- 102 ASAS/WHO ICF Core Sets for ankylosing spondylitis (AS): how to classify the impact of AS on functioning and health
A Boonen, J Braun, I E van der Horst Bruinsma, F Huang, W Maksymowych, N Kostanjsek, A Cieza, G Stucki, D van der Heijde
- 108 Role of contextual factors in health-related quality of life in ankylosing spondylitis
V S Gordeev, W P Maksymowych, S M A A Evers, A Ament, L Schachna, A Boonen
- 113 Single, intra-articular treatment with 6 ml hylan G-F 20 in patients with symptomatic primary osteoarthritis of the knee: a randomised, multicentre, double-blind, placebo controlled trial
X Chevalier, J Jerosch, P Goupille, N van Dijk, F P Luyten, D L Scott, F Bailleur, K Pavelka
- 120 Short-term changes in magnetic resonance imaging and disease activity in response to infliximab
H M Bonel, C Boller, B Saar, S Tanner, S Srivastava, P M Villiger
- 126 Patients with rheumatoid arthritis treated with tumour necrosis factor antagonists increase their participation in the workforce: potential for significant long-term indirect cost gains (data from a population-based registry)
J Augustsson, M Neovius, C Cullinane-Carli, S Eksborg, R F van Vollenhoven
- 132 Cognitive function and ^{99m}Tc-ECD brain SPECT are significantly correlated in patients with primary Sjögren syndrome: a case-control study
V Le Guern, C Belin, C Henegar, C Moroni, D Maillet, C Lacau, J L Dumas, N Vigneron, L Guillevin
- 138 Major improvements in health-related quality of life during the use of etanercept in patients with previously refractory juvenile idiopathic arthritis
F H M Prince, L M Geerdink, G J J M Borsboom, M Twilt, M A J van Rossum, E P A H Hoppenreijns, R ten Cate, Y Koopman-Keemink, M van Santen-Hoeufft, H Raat, L W A van Suijlekom-Smit
- 143 Does cartilage volume or thickness distinguish knees with and without mild radiographic osteoarthritis? The Framingham Study
S Reichenbach, M Yang, F Eckstein, J Niu, D J Hunter, C E McLennan, A Guermazi, F Roemer, M Hudelmaier, P Aliabadi, D T Felson
- 150 Calprotectin (a major S100 leucocyte protein) predicts 10-year radiographic progression in patients with rheumatoid arthritis
H Berner Hammer, S Ødegård, S W Syversen, R Landewé, D van der Heijde, T Uhlig, P Mowinckel, T K Kvien

MORE CONTENTS ►



This article has been chosen by the editor to be of special interest or importance and is freely available online.



Articles carrying the Unlocked Logo are freely available online under the BMJ Journals unlocked scheme. See <http://ard.bmj.com/info/unlocked.dtd>



COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk



When you have finished with this please recycle it

- 155 Change in regional cartilage morphology and joint space width in osteoarthritis participants versus healthy controls: a multicentre study using 3.0 Tesla MRI and Lyon–Schuss radiography
M-P Heliö Le Graverand, R J Buck, B T Wyman, E Vignon, S A Mazzuca, K D Brandt, M Piperno, H C Charles, M Hudelmaier, D J Hunter, C Jackson, V Byers Kraus, T M Link, S Majumdar, P V Prasad, T J Schnitzer, A Vaz, W Wirth, F Eckstein
- 163 High systemic bone mineral density increases the risk of incident knee OA and joint space narrowing, but not radiographic progression of existing knee OA: the MOST study
M C Nevitt, Y Zhang, M K Javaid, T Neogi, J R Curtis, J Niu, C E McCulloch, N A Segal, D T Felson
- 169 Autoantibody profiling in patients with very early rheumatoid arthritis: a follow-up study
V Nell-Duxneuner, K Machold, T Stamm, G Eberl, H Heinzl, E Hoefler, J S Smolen, G Steiner
- 175 Increased ERK and JNK activities correlate with disease activity in patients with systemic lupus erythematosus
Y Molad, M Amit-Vasina, O Bloch, E Yona, M J Rapoport
- 181 Comparison of interferon γ release assays and conventional screening tests before tumour necrosis factor α blockade in patients with inflammatory arthritis
J Martin, C Walsh, A Gibbs, T McDonnell, U Fearon, J Keane, M B Codd, J Dodd, D Veale, O FitzGerald, B Bresnihan
- 186 The time has come to limit the placebo period in rheumatoid arthritis trials to 3 months: a systematic comparison of 3- and 6-month response rates in trials of biological agents
M Boers
- 193 Rituximab in diffuse cutaneous sclerosis: an open-label clinical and histopathological study
V Smith, J T Van Praet, B Vandooen, B Van der Cruyssen, J-M Naeyaert, S Decuman, D Elewaut, F De Keyser
- 198 Distribution of joint involvement in women with hand osteoarthritis and associations between joint counts and patient-reported outcome measures
B Slatkowsky-Christensen, I Haugen, T K Kvien
- 202 Overlap of coronary disease and pulmonary arterial hypertension in systemic sclerosis
A Komócsi, T Pintér, R Faludi, B Magyar, J Bozó, G Kumánovics, T Minier, J Radics, L Czirkák
- 206 Effect of adalimumab on joint disease: features of patients with psoriatic arthritis detected by magnetic resonance imaging
A P Anandarajah, P Ory, D Salonen, C Feng, R L Wong, C T Ritchlin
- 210 Role of European mitochondrial DNA haplogroups in the prevalence of hip osteoarthritis in Galicia, Northern Spain
I Rego, M Fernández-Moreno, C Fernández-López, J J Gómez-Reino, A González, J Arenas, F J Blanco
- 214 Impact of digital ulcers on disability and health-related quality of life in systemic sclerosis
L Mouthon, C Mestre-Stanislas, A Bérezné, F Rammou, P Guilpain, M Revel, C Pagnoux, L Guillevin, J Fermandian, S Poiraudreau
- 218 Prevalence and factors associated with left ventricular dysfunction in the EULAR Scleroderma Trial and Research group (EUSTAR) database of patients with systemic sclerosis
Y Allanore, C Meune, M C Vonk, P Airo, E Hachulla, P Caramaschi, G Riemekasten, F Cozzi, L Beretta, C T Derk, A Komócsi, D Farge, A Balbir, V Ricciari, O Distler, A Chialà, N Del Papa, K Pasalic Simic, M Ghio, B Stamenkovic, S Rednic, N Host, R Pellerito, E Zegers, A Kahan, U A Walker, M Matucci-Cerinic, EUSTAR co-authors
- 222 Patient-reported outcomes improve with etanercept plus methotrexate in active early rheumatoid arthritis and the improvement is strongly associated with remission: the COMET trial
J Kekow, R J Moots, P Emery, P Durez, A Koenig, A Singh, R Pedersen, D Robertson, B Freundlich, R Sato
- 226 Analysis of uveitis rates across all etanercept ankylosing spondylitis clinical trials
J Sieper, A Koenig, S Baumgartner, C Wishneski, J Foehl, B Vlahos, B Freundlich
- 230 Influence of gender on assessments of disease activity and function in early rheumatoid arthritis in relation to radiographic joint damage
M Ahlmén, B Svensson, K Albertsson, K Forslind, I Hafström, for the BARFOT Study Group

Basic and translational research

- 234 Gene expression in human chondrocytes in late osteoarthritis is changed in both fibrillated and intact cartilage without evidence of generalised chondrocyte hypertrophy
C J Brew, P D Clegg, R P Boot-Handford, J G Andrew, T Hardingham
- 241 Human adipose-derived mesenchymal stem cells reduce inflammatory and T cell responses and induce regulatory T cells in vitro in rheumatoid arthritis
E Gonzalez-Rey, M A Gonzalez, N Varela, F O'Valle, P Hernandez-Cortes, L Rico, D Büscher, M Delgado
- 249 Junctional adhesion molecule-A is abnormally expressed in diffuse cutaneous systemic sclerosis skin and mediates myeloid cell adhesion
Y Hou, B J Rabquer, M L Gerber, F Del Galdo, S A Jimenez, G K Haines III, W G Barr, M C Massa, J R Seibold, A E Koch
- 255 Cartilage proteoglycan aggrecan epitopes induce proinflammatory autoreactive T-cell responses in rheumatoid arthritis and osteoarthritis
H de Jong, S E Berlo, P Hombrink, H G Otten, W van Eden, F P Laféber, A H M Heurkens, J W J Bijlsma, T T Glant, B J Prakken
- 263 Circulating cytokines in active polymyalgia rheumatica
L Alvarez-Rodriguez, M Lopez-Hoyos, C Mata, M Jose Marin, J Calvo-Alen, R Blanco, E Aurrecochea, M Ruiz-Soto, V M Martinez-Taboada
- 270 Transforming growth factor β_1 and laminin-111 cooperate in the induction of interleukin-16 expression in synovial fibroblasts from patients with rheumatoid arthritis
K Warsiat, M Hoberg, M Rudert, S Tsui, T Pap, B Angres, M Essl, T J Smith, W W Cruikshank, G Klein, S Gay, W K Aicher
- 276 The natural soluble form of IL-18 receptor β exacerbates collagen-induced arthritis via modulation of T-cell immune responses
S Veenbergen, R L Smeets, M B Binnink, O J Artzt, L A B Joosten, W B van den Berg, F A J van de Loo
- 284 Interleukin-1 is essential for systemic inflammatory bone loss
K Polzer, L Joosten, J Gasser, J H Distler, G Ruiz, W Baum, K Redlich, K Bobacz, J S Smolen, W van den Berg, G Schett, J Zwerina
- 291 A plant-derived glucocorticoid receptor modulator attenuates inflammation without provoking ligand-induced resistance
V Gossye, D Elewaut, K Van Beneden, P Dewint, G Haegeman, K De Bosscher
- 297 From gene expression to serum proteins: biomarker discovery in ankylosing spondylitis
N Haroon, F W L Tsui, F D O'Shea, B Chiu, H W Tsui, H Zhang, K W Marshall, R D Inman
- 301 TWEAK and its receptor Fn14 in the synovium of patients with rheumatoid arthritis compared to psoriatic arthritis and its response to tumour necrosis factor blockade
A W R van Kuijk, C A Wijbrandts, M Vinkenoog, T S Zheng, K A Reedquist, P P Tak
- 305 HLA-DR^{high}/CD27^{high} plasmablasts indicate active disease in patients with systemic lupus erythematosus
A M Jacobi, H Mei, B F Hoyer, I M Muntaz, K Thiele, A Radbruch, G-R Burmester, F Hiepe, T Dörner
- 309 Chromosomal region 16p13: further evidence of increased predisposition to immune diseases
A Martínez, N Perdignes, M C Cénit, L Espino, J Varadé, J R Lamas, J L Santiago, M Fernández-Arquero, H de la Calle, R Arroyo, E G de la Concha, B Fernández-Gutiérrez, E Urcelay
- Letters**
- 312 Decrease in orthopaedic operations, including total joint replacements, in patients with rheumatoid arthritis between 2001 and 2007: data from Japanese outpatients in a single institute-based large observational cohort (IORRA)
S Momohara, E Inoue, K Ikari, K Kawamura, S Tsukahara, T Iwamoto, M Hara, A Taniguchi, H Yamanaka
- 313 Unregulated prescribing of anti-tumour necrosis factor agents does not mean inappropriate prescribing
C T Ng, B J Radovits, W Kievit, J Fransen, P L C M van Riel, O FitzGerald, D J Veale, B Bresnihan
- 314 Nedd5, a novel autoantigen in systemic sclerosis: is it a marker of more severe disease?
V Ricciari, C Alessandri, V Germano, S Guiducci, V Rogai, T Colasanti, F Delunardo, P Margutti, E Ortona, M Matucci Cerinic, G Valesini
- 316 Dactylitis in gout
R Andracco, G Zampogna, M Parodi, F Paparo, M A Cimmino

