



Editor

Tore K Kvien

Associate Editors

Francis Berenbaum
Hans Bijlsma
David Pisetsky
Dimitrios Boumpas
Gerd Burmester
Mary Crow
Iain McInnes

Editorial office

Annals of the Rheumatic Diseases
BMJ Publishing Group Ltd
BMA House
Tavistock Square
London WC1H 9JR, UK
T: +44 (0)20 7383 6250
F: +44 (0)20 7383 6668
E: ard@bmj.com
ISSN: 0003-4967 (print)
ISSN: 1468-2060 (online)
Impact Factor: 8.727

Disclaimer: ARD is owned and published by BMJ Publishing Group Ltd (a wholly owned subsidiary of the British Medical Association) and the European League Against Rheumatism. The owners grant editorial freedom to the Editor of ARD. ARD follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

ARD is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions the BMJ Publishing Group, the European League Against Rheumatism or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury or damage resulting from the use of ARD or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2013 BMJ Publishing Group and European League Against Rheumatism. All rights reserved; no part of this publication may be reproduced stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying recording, or otherwise without prior permission

ARD is published by BMJ Publishing Group Ltd typeset by Techset and printed in the UK on acid-free paper.

Annals of the Rheumatic Diseases (ISSN No: 0003-4967) is published monthly by BMJ Publishing Group and distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431
POSTMASTER: send address changes to *Annals of the Rheumatic Diseases*, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.



Receive regular table of contents by email.
Register using this QR code.

Editorials

- 789** Treatment of non-radiographic axial spondyloarthritis: it is only the beginning
I E van der Horst-Bruinsma
- 791** Managing gout needs more than drugs: 'Il faut le savoir-faire, l'Art et la manière'
F Lioté, H Choi

Viewpoint

- 794** MRI comes of age in RA clinical trials
C Peterfy, M Østergaard, Philip C Conaghan

Review

- 797** Whipple's disease
X Puéchal

Recommendation

- 804** EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis
A N Colebatch, C J Edwards, M Østergaard, D van der Heijde, P V Balint, M-A D'Agostino, K Forslund, W Grassi, E A Haavardsholm, G Haugeberg, A-G Jurik, R BM Landewé, E Naredo, P J O'Connor, B Ostendorf, K Potocki, W A Schmidt, J S Smolen, S Sokolovic, I Watt, P G Conaghan

Clinical and epidemiological research

- 815** Efficacy and safety of adalimumab in patients with non-radiographic axial spondyloarthritis: results of a randomised placebo-controlled trial (ABILITY-1)
J Sieper, D van der Heijde, M Dougados, P J Mease, W P Maksymowych, M A Brown, V Arora, A L Pangan
- 823** Similar response rates in patients with ankylosing spondylitis and non-radiographic axial spondyloarthritis after 1 year of treatment with etanercept: results from the ESTHER trial
I-H Song, A Weiß, K-G A Hermann, H Haibel, C E Althoff, D Poddubnyy, J Listing, E Lange, B Freundlich, M Rudwaleit, J Sieper
- 826** Patients with gout adhere to curative treatment if informed appropriately: proof-of-concept observational study
F Rees, W Jenkins, M Doherty
- 831** Patients' needs and expectations with regard to rheumatology nursing care: results of multicentre focus group interviews
Y van Eijk-Hustings, J Ammerlaan, H Voorneveld-Nieuwenhuis, B Maat, C Veldhuizen, H Repping-Wuis
- 836** Patient satisfaction with nursing consultations in a rheumatology outpatient clinic: a 21-month randomised controlled trial in patients with inflammatory arthritides
H S Koksvis, K B Hagen, E Rodevand, P Mowinckel, T K Kvien, H A Zangi
- 844** Induction therapy with adalimumab plus methotrexate for 24 weeks followed by methotrexate monotherapy up to week 48 versus methotrexate therapy alone for DMARD-naïve patients with early rheumatoid arthritis: HIT HARD, an investigator-initiated study
J Detert, H Bastian, J Listing, A Weiß, S Wassenberg, A Liebhaber, K Rockwitz, R Alten, K Krüger, R Rau, C Simon, E Gremmelsbacher, T Braun, B Marsmann, V Höhne-Zimmer, K Egerer, F Buttgerit, G-R Burmester
- 851** Infliximab for 6 months added on combination therapy in early rheumatoid arthritis: 2-year results from an investigator-initiated, randomised, double-blind, placebo-controlled study (the NEO-RACo Study)
M Leirisalo-Repo, H Kautiainen, L Laasonen, M Korpela, M J Kauppi, O Kaipainen-Seppänen, R Luostijärvi, R Luukkainen, A Karjalainen, H Bläfield, T Uutela, K Ilva, H A Julkunen, L Paimela, K Puolakka, E Moilanen, P J Hannonen, T Mötönen, for the NEO-RACo Study Group
- 858** Very early rheumatoid arthritis as a predictor of remission: a multicentre real life prospective study
E Gremese, F Salaffi, S L Bosello, A Ciapetti, F Bobbio-Pallavicini, R Caporali, G Ferraccioli
- 863** Efficacy and safety of secukinumab in patients with rheumatoid arthritis: a phase II, dose-finding, double-blind, randomised, placebo controlled study
M C Genovese, P Durez, H B Richards, J Supronik, E Dokoupilova, V Mazurov, J A Aelion, S-H Lee, C E Coddling, H Kellner, T Ikawa, S Hugot, S Myofu
- 870** 'Insights in the relationship of joint space narrowing versus erosive joint damage and physical functioning of patients with RA'
R Koevoets, L Dirven, N B Klarenbeek, M V van Krugten, H K Ronday, D M F M van der Heijde, T W J Huizinga, P S J M Kerstens, W F Lens, C F Allaart
- 875** Rheumatoid factor determines structural progression of rheumatoid arthritis dependent and independent of disease activity
D Aletaha, F Alasti, J S Smolen
- 881** Etanercept normalises left ventricular mass in patients with rheumatoid arthritis
C I Daien, P Fesler, G du Cailar, V Daien, T Mura, A-M Dupuy, J-P Cristol, J Ribstein, B Combe, J Morel
- 888** Ambient air pollution exposures and risk of rheumatoid arthritis: results from the Swedish EIRA case-control study
J E Hart, H Källberg, F Laden, T Bellander, K H Costenbader, M Holmqvist, L Klareskog, L Alfredsson, E W Karlson
- 895** Difference in the risk of serious infections in patients with rheumatoid arthritis treated with adalimumab, infliximab and etanercept: results from the Dutch Rheumatoid Arthritis Monitoring (DREAM) registry
S A A van Dael, J Fransen, W Kievit, M Flendrie, A A den Broeder, H Visser, A Hartkamp, M A F J van de Laar, P L C M van Riel

MORE CONTENTS ►



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://ard.bmj.com/site/about/guidelines.xhtml#open>



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk



- 901** Multiple cytokines and chemokines are associated with rheumatoid arthritis-related autoimmunity in first-degree relatives without rheumatoid arthritis: Studies of the Aetiology of Rheumatoid Arthritis (SERA)
J M Hughes-Austin, K D Deane, L A Derber, J R Kolfenbach, G O Zerbe, J Sokolove, L J Lahey, M H Weisman, J H Buckner, T R Mikuls, J R O'Dell, R M Keating, P K Gregersen, W H Robinson, V M Holers, J M Norris
- 908** Methotrexate polyglutamation in relation to infliximab pharmacokinetics in rheumatoid arthritis
T Dervieux, M E Weinblatt, A Kivitz, J M Kremer
- 911** An increased rate of falling leads to a rise in fracture risk in postmenopausal women with self-reported osteoarthritis: a prospective multinational cohort study (GLOW)
D Prieto-Alhambra, X Nogues, M K Javaid, A Wyman, N K Arden, R Azagra, C Cooper, J D Adachi, S Boonen, R D Chapurlat, J E Compston, S H Gehlbach, S L Greenspan, F H Hooven, J C Netelenbos, J Pfeilschifter, M Rossini, P N Sambrook, S Silverman, E S Siris, N B Watts, A Díez-Pérez
- 918** Cam impingement causes osteoarthritis of the hip: a nationwide prospective cohort study (CHECK)
R Agrícola, M P Heijboer, S M A Bierma-Zeinstra, J A N Verhaar, H Weinans, J H Waarsing
- 924** Progression of osteoarthritis as a state of inertia
D Felson, J Niu, B Sack, P Aliabadi, C McCullough, M C Nevitt
- 930** In erosive hand osteoarthritis more inflammatory signs on ultrasound are found than in the rest of hand osteoarthritis
M C Kortekaas, W-Y Kwok, M Reijnen, T W J Huizinga, M Kloppenburg
- 935** Evaluation of the genetic overlap between osteoarthritis with body mass index and height using genome-wide association scan data
K S Elliott, K Chapman, A Day-Williams, K Panousopoulou, L Southam, C M Lindgren, the GIANT consortium, N Arden, N Aslam, F Birrell, I Carluke, A Carr, P Deloukas, M Doherty, J Loughlin, A McCaskie, W E R Ollier, A Rai, S Ralston, M R Reed, T D Spector, A M Valdes, G A Wallis, M Wilkinson, the arcOGEN consortium, E Zeggini
- 942** Co-localisation of non-cartilaginous articular pathology increases risk of cartilage loss in the tibiofemoral joint—the MOST study
F W Roemer, D T Felson, K Wang, M D Crema, T Neogi, Y Zhang, M C Nevitt, M D Marra, C E Lewis, J Torner, A Guermazi, for MOST study investigators
- 949** Incidence and predictors of secondary fibromyalgia in an early arthritis cohort
Y C Lee, B Lu, G Boire, B Haraoui, C A Hitchon, J E Pope, J C Thorne, E C Keystone, D H Solomon, V P Bykerk
- 955** Comparative efficacy of pharmacological and non-pharmacological interventions in fibromyalgia syndrome: network meta-analysis
E Nüesch, W Häuser, K Bernardy, J Barth, P Jüni
- 963** Muscle fatigue in fibromyalgia is in the brain, not in the muscles: a case-control study of perceived versus objective muscle fatigue
E Bandak, K Amris, H Bliddal, B Danneskiold-Samsøe, M Henriksen
- 967** Active inflammation and structural change in early active axial spondyloarthritis as detected by whole-body MRI
C E Althoff, J Sieper, I-H Song, H Haibel, A Weiß, T Diekhoff, M Rudwaleit, B Freundlich, B Hamm, K-G A Hermann
- 974** Epistasis between two HLA antigens defines a subset of individuals at a very high risk for ankylosing spondylitis
F A van Gaalen, W Verduijn, D L Roelen, S Böhringer, T W J Huizinga, D M van der Heijde, R E M Toes
- 979** Does the site of magnetic resonance imaging abnormalities match the site of recent-onset inflammatory back pain? The DESIR cohort
M Blachier, B Coutanceau, M Dougados, A Saraux, S Bastuji-Garin, S Ferkal, P Le Corvoisier, V Farreñq, C Poulain, B Ghaleh, F Canoui-Poitrine, P Claudepierre
- 986** The development of candidate composite disease activity and responder indices for psoriatic arthritis (GRACE project)
P S Helliswell, O FitzGerald, J Fransen, D D Gladman, G G Kreuger, K Callis-Duffin, N McHugh, P J Mease, V Strand, R Waxman, V F Azevedo, A B Ostos, S Cameiro, A Cauli, L R Espinoza, J A Flynn, N Hassan, P Healy, E M Kerzberg, Y J Lee, E Lubrano, A Marchesoni, H Marzo-Ortega, G Porru, E G Moreta, P Nash, H Raffayova, R Ranza, S P Raychaudhuri, E Roussou, R Scarpa, Y W Song, E R Soriano, P P Tak, I Ujjalussy, K de Vlam, J A Walsh
- 992** The link between enthesitis and arthritis in psoriatic arthritis: a switch to a vascular phenotype at insertions may play a role in arthritis development
S Z Aydin, Z R Ash, I Timazzi, C Castillo-Gallego, C Kwok, C Wilson, M Goodfield, P Gisondi, A L Tan, H Marzo-Ortega, P Emery, R J Wakefield, D G McGonagle
- 996** Steroid injection for inferior heel pain: a randomised controlled trial
E M A Ball, H M A McKeeman, C Patterson, J Burns, W H Yau, O A Moore, C Benson, J Foo, G D Wright, A J Taggart
- 1003** Revisiting the classification of clinical phenotypes of anti-neutrophil cytoplasmic antibody-associated vasculitis: a cluster analysis
A Mahr, S Katsahian, H Varet, L Guillevin, E C Hagen, P Höglund, P A Merkel, C Pagnoux, N Rasmussen, K Westman, D R W Jayne, for the French Vasculitis Study Group (FVSG) and the European Vasculitis Society (EUVAS)
- 1011** A vasculitis centre based management strategy leads to improved outcome in eosinophilic granulomatosis and polyangiitis (Churg–Strauss, EGPA): monocentric experiences in 150 patients
F Moosig, J P Bremer, B Hellmich, J U Holle, K Holl-Ulrich, M Laudien, C Matthis, C Metzler, B Nölle, G Richardt, W L Gross
- 1018** HLA-DRB1*04/*13 alleles are associated with vascular disease and antiphospholipid antibodies in systemic lupus erythematosus
E Lundström, J T Gustafsson, A Jönsen, D Leonard, A Zickert, K Elvin, G Sturfelt, G Nordmark, A A Bengtsson, U Sundin, H Källberg, J K Sandling, A-C Syvänen, L Klareskog, I Gunnarsson, L Rönnblom, L Padyukov, E Svenungsson

- 1026** Efficacy of rituximab in systemic manifestations of primary Sjögren's syndrome: results in 78 patients of the AutoImmune and Rituximab registry
J-E Gottenberg, G Cinquetti, C Laroche, B Combe, E Hachulla, O Meyer, E Pertuiset, G Kaplanski, L Chiche, J-M Berthelot, B Gombert, P Goupille, C Marcelli, S Feuillet, J Leone, J Sibilia, C Zarnitsky, P Carli, S Rist, P Gaudin, C Salliot, M Piperno, A Deplas, M Breban, T Lequerre, P Richette, C Ghiringhelli, M Hamidou, P Ravnaud, X Mariette, for the Club Rhumatismes et Inflammations and the French Society of Rheumatology

Basic and translational research

- 1032** Progression to rheumatoid arthritis in early inflammatory arthritis is associated with low IL-7 serum levels
V Goëb, P Aegerter, R Parmar, P Fardellone, O Vittecoq, P G Conaghan, P Emery, X Le Loët, F Ponchel
- 1037** Anti-TNF treatment blocks the induction of T cell-dependent humoral responses
G F Salinas, L De Rycke, B Barendregt, J E Paramarta, H Hreggvidsdottir, T Cantaert, M van der Burg, P P Tak, D Baeten
- 1044** Autophagy contributes to inflammation in patients with TNFR-associated periodic syndrome (TRAPS)
T Bchetti, S Chiesa, P Castagnola, D Bani, E Di Zanni, A Omenetti, A D'Ossualdo, A Fraldi, A Ballabio, R Ravazzolo, A Martini, M Gattorno, I Ceccherini
- 1053** Granulocyte colony stimulating factor exacerbates antineutrophil cytoplasmic antibody vasculitis
S J Freeley, A M Coughlan, R J Popat, D K Dunn-Walters, M G Robson
- 1059** The concentration of anticitrullinated protein antibodies in serum and synovial fluid in relation to total immunoglobulin concentrations
A Willemze, J Shi, M Mulder, G Stoeken-Rijsbergen, J W Drijfhout, T W J Huizinga, L A Trouw, R E M Toes
- 1064** Microarray-based gene expression profiling in patients with cryopyrin-associated periodic syndromes defines a disease-related signature and IL-1-responsive transcripts
J E Balow Jr, J G Ryan, J J Chae, M G Booty, A Bulua, D Stone, H-W Sun, J Greene, B Barham, R Goldbach-Mansky, D L Kasner, I Aksentijevich
- 1071** MiR-20a regulates ASK1 expression and TLR4-dependent cytokine release in rheumatoid fibroblast-like synoviocytes
L Philippe, G Alsaleh, A Pichot, E Ostermann, G Zuber, B Frisch, J Sibilia, S Pfeffer, S Bahram, D Wachsmann, P Georgel
- 1080** Notch signalling pathways mediate synovial angiogenesis in response to vascular endothelial growth factor and angiopoietin 2
W Gao, C Sweeney, C Walsh, P Rooney, J Mc Cormick, D J Veale, U Fearon
- 1089** Critical role of the adhesion receptor DNAX accessory molecule-1 (DNAM-1) in the development of inflammation-driven dermal fibrosis in a mouse model of systemic sclerosis
J Avouac, M Elhai, M Tomcik, B Ruiz, M Friese, M Piedaventi, M Colonna, G Bernhardt, A Kahan, G Chicchia, J H W Distler, Y Allanore

Letters

- 1100** Suppression of elevations in serum C reactive protein levels by anti-IL-6 autoantibodies in two patients with severe bacterial infections
T Nanki, I Onoue, K Nagasaka, A Takayasu, M Ebisawa, T Hosoya, T Shirai, T Sugihara, S Hirata, T Kubota, M Harigai, N Miyasaka
- 1102** Development and resolution of secondary autoimmunity after autologous haematopoietic stem cell transplantation for systemic lupus erythematosus: competition of plasma cells for survival niches?
T Alexander, S Schneider, B Hoyer, Q Cheng, A Thiel, S Ziemer, G-R Burmester, R Arnold, A Radbruch, F Hiepe
- 1104** Ankylosing spondylitis patients with and without psoriasis do not differ in disease phenotype
P Machado, R Landewé, J Braun, X Baraliakos, K-G A Hermann, B Hsu, D Baker, D van der Heijde
- 1107** Neuropeptides activate TRPV1 in rheumatoid arthritis fibroblast-like synoviocytes and foster IL-6 and IL-8 production
R Terenzi, E Romano, M Manetti, F Peruzzi, F Nacci, M Matucci-Cerinic, S Guiducci
- 1109** First report of vertical transmission of a somatic *NLRP3* mutation in cryopyrin-associated periodic syndromes
S Jiménez-Treviño, E González-Roca, E Ruiz-Ortiz, J Yagüe, E Ramos, J I Aróstegui

Miscellaneous

- 1110** Corrections

Electronic pages

- e10** Erdheim-Chester disease
M Juanós-Iborra, J Solanich-Moreno, A Selva-O'Callaghan
- e11** Which ultrasound method has the upper hand in the follow-up of the patients with recurrent carpal tunnel syndrome?
A Kerasnoudis
- e12** Response to comments in: Statin use is associated with reduced incidence and progression of knee osteoarthritis in the Rotterdam study by Clockaerts *et al*
D L Riddle, G Moxley, L Dumenci
- e13** Efficacy and safety of strontium ranelate in the treatment of knee osteoarthritis: results of a double-blind, randomised placebo-controlled trial
C-L Murphy, E Murphy, T Duffy, M O'Sullivan, M Barry



OPEN ACCESS