

## Editor

Tore K Kvien

## Associate Editors

Francis Berenbaum  
Hans Bijlsma  
David Pisetsky  
Dimitrios Boumpas  
Gerd Burmester  
Mary Crow  
Iain McInnes

## Editorial office

Annals of the Rheumatic Diseases  
BMJ Publishing Group Ltd  
BMA House  
Tavistock Square  
London WC1H 9JR, UK  
T: +44 (0)20 7383 6250  
F: +44 (0)20 7383 6668  
E: [ard@bmj.com](mailto:ard@bmj.com)  
Twitter: @ARD\_BMJ  
ISSN: 0003-4967 (print)  
ISSN: 1468-2060 (online)  
Impact Factor: 10.377

**Disclaimer:** ARD is owned and published by BMJ Publishing Group Ltd (a wholly owned subsidiary of the British Medical Association) and the European League Against Rheumatism. The owners grant editorial freedom to the Editor of ARD. ARD follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

ARD is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions the BMJ Publishing Group, the European League Against Rheumatism or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury or damage resulting from the use of ARD or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

**Copyright:** © 2015 BMJ Publishing Group and European League Against Rheumatism. All rights reserved; no part of this publication may be reproduced stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without prior permission

ARD is published by BMJ Publishing Group Ltd typeset by Techset and printed in the UK on acid-free paper.

Annals of the Rheumatic Diseases (ISSN No: 0003-4967) is published monthly by BMJ Publishing Group and distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431  
POSTMASTER: send address changes to Annals of the Rheumatic Diseases, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.



Receive regular table of contents by email.  
Register using this QR code.

## Editorial

- 1 Dietary fatty acids for the treatment of OA, including fish oil  
*D T Felson, H A Bischoff-Ferrari*

## Recommendation

- 3 Treating rheumatoid arthritis to target: 2014 update of the recommendations of an international task force  
*J S Smolen, F C Breedveld, G R Burmester, V Bykerk, M Dougados, P Emery, T K Kvien, M V Navarro-Compán, S Oliver, M Schoels, M Scholte-Voshaar, T Stamm, M Stoffer, T Takeuchi, D Aletaha, J Louis Andreu, M Aringer, M Bergman, N Betteridge, H Bijlsma, H Burkhardt, M Cardiel, B Combe, P Durez, J E Fonseca, A Gibofsky, J J Gomez-Reino, W Graninger, P Hannonen, B Haraoui, M Kouloumas, R Landewe, E Martin-Mola, P Nash, M Ostergaard, A Östör, P Richards, T Sokka-Isler, C Thorne, A G Tzioufas, R van Vollenhoven, M de Wit, D van der Heijde*

## Review

- 16 Evidence for treating rheumatoid arthritis to target: results of a systematic literature search update  
*M A Stoffer, M M Schoels, J S Smolen, D Aletaha, F C Breedveld, G Burmester, V Bykerk, M Dougados, P Emery, B Haraoui, J Gomez-Reino, T K Kvien, P Nash, V Navarro-Compán, M Scholte-Voshaar, R van Vollenhoven, D van der Heijde, T A Stamm*

## Clinical and epidemiological research

- 23 Fish oil in knee osteoarthritis: a randomised clinical trial of low dose versus high dose  
*C L Hill, L M March, D Aitken, S E Lester, R Battersby, C Hynes, T Fedorova, S M Proudman, M James, L G Cleland, G Jones*
- 30 Tacrolimus versus mycophenolate mofetil for induction therapy of lupus nephritis: a randomised controlled trial and long-term follow-up  
*C C Mok, K Y Ying, C W Yim, Y P Siu, K H Tong, C H To, W L Ng*
- 37 Combined chondroitin sulfate and glucosamine for painful knee osteoarthritis: a multicentre, randomised, double-blind, non-inferiority trial versus celecoxib  
*M C Hochberg, J Marel-Pelletier, J Monfort, I Möller, J R Castillo, N Arden, F Berenbaum, F J Blanco, P G Conaghan, G Doménech, Y Henrotin, T Pap, P Richette, A Sawitzke, P du Souich, J-P Pelletier, on behalf of the MOVES Investigation Group*
- 45 Relapse rates in patients with rheumatoid arthritis in stable remission tapering or stopping antirheumatic therapy: interim results from the prospective randomised controlled RETRO study  
*J Haschke, M Englbrecht, A J Hueber, B Manger, A Kleyer, M Reiser, S Finzel, H-P Tony, S Kleiner, M Feuchtenberger, M Fleck, K Manger, W Ochs, M Schmitt-Haendle, J Wendler, F Schuch, M Romeberger, H-M Lorenz, H Nuesslein, R Alten, W Demary, J Henes, G Schett, J Reck*
- 52 Full dose, reduced dose or discontinuation of etanercept in rheumatoid arthritis  
*R F van Vollenhoven, M Ostergaard, M Leirisalo-Repo, T Uhlig, M Jansson, E Larsson, F Brock, K Franck-Larsson*
- 59 Step-down strategy of spacing TNF-blocker injections for established rheumatoid arthritis in remission: results of the multicentre non-inferiority randomised open-label controlled trial (STRASS: Spacing of TNF-blocker injections in Rheumatoid Arthritis Study)  
*B Faurel, T Pham, T Alfaïate, F Gandjbakch, V Foltz, J Morel, E Denis, P Gaudin, O Brocq, E Solau-Gervais, J-M Berthelot, J-C Balblanc, X Mariette, F Tubach*
- 68 Efficacy and safety of subcutaneous tocilizumab versus intravenous tocilizumab in combination with traditional DMARDs in patients with RA at week 97 (SUMMACTA)  
*G R Burmester, A Rubbert-Roth, A Cantagrel, S Hall, P Leszczynski, D Feldman, M J Rangaraj, G Roane, C Ludvíco, M Bao, L Rowell, C Davies, E F Mysler*
- 75 The first double-blind, randomised, parallel-group certolizumab pegol study in methotrexate-naïve early rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression  
*T Atsumi, K Yamamoto, T Takeuchi, H Yamanaka, N Ishiguro, Y Tanaka, K Eguchi, A Watanabe, H Origasa, S Yasuda, Y Yamanishi, Y Kita, T Matsubara, M Iwamoto, T Shoji, T Okada*
- 84 Synovial tissue volume: a treatment target in knee osteoarthritis (OA)  
*T W O'Neill, M J Parkes, N Maricar, E J Marjanovic, R Hodgson, A D Gait, T F Cootes, C E Hutchinson, D T Felson*
- 91 Independent impact of gout on the risk of diabetes mellitus among women and men: a population-based, BMI-matched cohort study  
*Y H Rho, N Lu, C E Peloquin, A Man, Y Zhu, Y Zhang, H K Choi*
- 96 A tailored approach to reduce dose of anti-TNF drugs may be equally effective, but substantially less costly than standard dosing in patients with ankylosing spondylitis over 1 year: a propensity score-matched cohort study  
*J Závada, M Uher, K Sisol, Š Forejtová, K Jarošová, H Mann, J Vencovský, K Pavelka*
- 103 Joint and tendon involvement predict disease progression in systemic sclerosis: a EUSTAR prospective study  
*J Avouac, U A Walker, E Hachulla, G Riemekasten, G Cuomo, P E Carreira, P Caramaschi, L P Ananieva, M Matucci-Cerinic, L Czirkaj, C Denton, U M Ladner, Y Allanore, the EUSTAR collaborators*

## MORE CONTENTS ►



EDITOR'S CHOICE

This article has been chosen by the Editor to be of special interest or importance and is freely available online.



OPEN ACCESS

This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://ard.bmj.com/site/about/guidelines.xhtml#open>



COPE

COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

<http://publicationethics.org/>





When you have finished with this please recycle it



MCQs

The online version of this article contains multiple choice questions hosted on BMJ Learning.

- 110** Risk of deep venous thrombosis and pulmonary embolism in individuals with polymyositis and dermatomyositis: a general population-based study  
*E C Carruthers, H K Choi, E C Sayre, J A Aviña-Zubieta*
- 117** MRI findings predict radiographic progression and development of erosions in hand osteoarthritis  
*I K Haugen, B Slatkowsky-Christensen, P Boyesen, S Sesseng, D van der Heijde, T K Kvien*
- 124** Twenty-eight loci that influence serum urate levels: analysis of association with gout  
*A J Phipps-Green, M E Meriman, R Topless, S Altaf, G W Montgomery, C Franklin, G T Jones, A M van Rij, D White, L K Stamp, N Dalbeth, T R Merriman*
- 131** Psoriatic arthritis treatment and the risk of herpes zoster  
*D Zisman, H Bitterman, G Shalom, I Feldhamer, D Comanesther, E Baat, S Greenberg-Doan, S Cohen, A D Cohen*
- 136** The incidence and prevalence of systemic lupus erythematosus in the UK, 1999–2012  
*F Rees, M Doherty, M Grainge, G Davenport, P Lanyon, W Zhang*
- 142** Patient preferences for psychological support in inflammatory arthritis: a multicentre survey  
*E Dures, C Almeida, J Caesley, A Peterson, N Ambler, M Morris, J Pollock, S Hewlett*
- 148** The risk of deep venous thrombosis and pulmonary embolism in giant cell arteritis: a general population-based study  
*J A Aviña-Zubieta, V M Bhole, N Amiri, E C Sayre, H K Choi*
- 155** Certain class I HLA alleles and haplotypes implicated in susceptibility play a role in determining specific features of the psoriatic arthritis phenotype  
*M Haroon, R Winchester, J T Giles, E Heffernan, O FitzGerald*
- 163** A gender gap in primary and secondary heart dysfunction in systemic sclerosis: a EUSTAR prospective study  
*M Elhai, J Avouac, U A Walker, M Matucci-Cerinic, G Riemekasten, P Airò, E Hachulla, G Valentini, P E Carreira, F Cozzi, A B Gurman, Y Braun-Moscovici, N Damjanov, L P Ananieva, R Scorza, S Jimenez, J Busquets, M Li, U Müller-Ladner, A Kahan, O Distler, Y Allano, EUSTAR co-authors*
- 170** MRI assessment of suppression of structural damage in patients with rheumatoid arthritis receiving rituximab: results from the randomised, placebo-controlled, double-blind RA-SCORE study  
*C Peterfy, P Emery, P P Tak, M Østergaard, J DiCarlo, K Otsa, F N Sarabia, K Pavelka, M-A Bagnard, L H Glyvin, C Bemasconi, A Gabriele*
- 178** Performance of classification criteria for gout in early and established disease  
*W J Taylor, J Fransen, N Dalbeth, T Neogi, H R Schumacher, M Brown, W Louthrenoo, J Vazquez-Mellado, M Eliseev, G McCarthy, L K Stamp, F Perez-Ruiz, F Sivera, H-K Ea, M Gerritsen, C Scire, L Cavagna, C Lin, Y-Y Chou, A-K Tausche, G da Rocha Castelar-Pinheiro, M Janssen, J-H Chen, O Slot, M Cimmino, T Uhlig, T L Jansen*
- 183** Familial aggregation of arthritis-related diseases in seropositive and seronegative rheumatoid arthritis: a register-based case-control study in Sweden  
*T Frisell, K Hellgren, L Alfredsson, S Raychaudhuri, L Klareskog, J Askling*
- 190** Disease progression into adulthood and predictors of long-term active disease in juvenile idiopathic arthritis  
*A M Selvaag, H A Aulie, V Lilleby, B Flato*
- 196** A Phase II study of the efficacy and safety of rontalizumab (rhuMab interferon- $\alpha$ ) in patients with systemic lupus erythematosus (ROSE)  
*K C Kalunian, J T Merrill, R Macuca, J M McBride, M J Townsend, X Wei, J C Davis Jr, W P Kennedy*
- 203** Ankylosing spondylitis and risk of ischaemic heart disease: a population-based cohort study  
*I Essers, C Stolwijk, A Boonen, M L De Bruin, M T Bazelier, F de Vries, A van Tubergen*
- 210** Comorbidities in patients with gout prior to and following diagnosis: case-control study  
*C-F Kuo, M J Grainge, C Mallen, W Zhang, M Doherty*
- 
- Basic and translational research**
- 218** Alarmins S100A8/S100A9 aggravate osteophyte formation in experimental osteoarthritis and predict osteophyte progression in early human symptomatic osteoarthritis  
*R F P Schelbergen, W de Munter, M H J van den Bosch, F P J G Lafeber, A Sloetjes, T Vogl, J Roth, W B van den Berg, P M van der Kraan, A B Blom, P L E M van Lent*
- 226** Sirt1 regulates canonical TGF- $\beta$  signalling to control fibroblast activation and tissue fibrosis  
*P Zerr, K Palumbo-Zerr, J Huang, M Tomcik, B Sumova, O Distler, G Schett, J H W Distler*
- 234** Discovery and confirmation of a protein biomarker panel with potential to predict response to biological therapy in psoriatic arthritis  
*O S Ademowo, B Hernandez, E Collins, C Rooney, U Fearon, A W van Kuijk, P-P Tak, D M Gerlag, O FitzGerald, S R Pennington*
- 242** Preferential association of a functional variant in complement receptor 2 with antibodies to double-stranded DNA  
*J Zhao, B M Giles, R L Taylor, G A Yette, K M Lough, H L Ng, L J Abraham, H Wu, J A Kelly, S B Glenn, A J Adler, A H Williams, M E Comeau, J T Ziegler, M Marion, M E Alarcón-Riquelme for the BIOLUPUS and GENLES Networks, G S Alarcón, J-M Anaya, S-C Bae, D Kim, H-S Lee, L A Criswell, B I Freedman, G S Gilkeson, J M Guthridge, C O Jacob, J A James, D L Kamen, J T Merrill, K M Sivils, T B Niewold, M A Petri, R Ramsey-Goldman, J D Reveille, R H Scofield, A M Stevens, L M Vilá, T J Vyse, K M Kaufman, J B Harley, C D Langefeld, P M Gaffney, E E Brown, J C Edberg, R P Kimberly, D Ulgiati, B P Tsao, S A Boackle*
- 253** Cell cycle regulation therapy combined with cytokine blockade enhances antiarthritic effects without increasing immune suppression  
*T Hosoya, H Iwai, Y Yamaguchi, K Kawahata, N Miyasaka, H Kohsaka*
- 260** The role of kinin B<sub>1</sub> receptor and the effect of angiotensin I-converting enzyme inhibition on acute gout attacks in rodents  
*C R Silva, S M Oliveira, C Hoffmeister, V Funck, G P Guerra, G Trevisan, R Tonello, M F Rossato, J B Pesquero, M Bader, M S Oliveira, J J McDougall, J Ferreira*
- 269** Neutrophil extracellular traps regulate IL-1 $\beta$ -mediated inflammation in familial Mediterranean fever  
*E Apostolidou, P Skeendros, K Kambas, I Mitroulis, T Konstantinidis, A Chrysanthopoulou, K Nakos, V Tsiroidou, M Koffa, D T Boumpas, K Ritis*

- 278** Myeloid-derived suppressor cells have a proinflammatory role in the pathogenesis of autoimmune arthritis  
*C Guo, F Hu, H Yi, Z Feng, C Li, L Shi, Y Li, H Liu, X Yu, H Wang, J Li, Z Li, X-Y Wang*
- 286** AMP-activated protein kinase suppresses urate crystal-induced inflammation and transduces colchicine effects in macrophages  
*Y Wang, B Viollet, R Terkeltaub, R Liu-Bryan*
- 295** TGF $\beta$  responsive tyrosine phosphatase promotes rheumatoid synovial fibroblast invasiveness  
*S M Stanford, G R A Muench, B Barok, C Sacchetti, W B Kiosses, J Sharma, M F Maestre, M Bottini, T Mustelin, D L Boyle, G S Firestein, N Bottini*
- 303** Downregulation of miR-193b in systemic sclerosis regulates the proliferative vasculopathy by urokinase-type plasminogen activator expression  
*N Iwamoto, S Vettori, B Maurer, M Brock, E Pachera, A Jünger, M Calcagni, R E Gay, M L Whitfield, J H W Distler, S Gay, O Distler*
- 311** Tofacitinib regulates synovial inflammation in psoriatic arthritis, inhibiting STAT activation and induction of negative feedback inhibitors  
 OPEN ACCESS  
*W Gao, T McGarry, C Orr, J McCormick, D J Veale, U Fearon*
- 317** Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study  
 OPEN ACCESS  
*A Yarwood, S Viatte, Y Okada, R Plenge, K Yamamoto, BRACCGSS, RACI, A Barton, D Symmons, S Raychaudhuri, L Klareskog, P Gregersen, J Worthington, S Eyre*
- e2** Response to: 'Mutation in MMP2 gene may result in scleroderma-like skin thickening' by Bader-Meunier *et al*  
*S Banka, W G Newman*
- e3** Infrapatellar fat pad maximal area and changes in knee symptoms: gender-related difference or gender difference in reporting?  
*H X Bai, A M Lee, Z Wang, H Tang, L Yang*
- e4** Response to 'Infrapatellar fat pad maximal area and changes in knee symptoms: gender-related difference or gender difference in reporting?' by Bai *et al*  
*F Pan, W Han, X Wang, Z Liu, X Jin, B Antony, F Cicuttini, G Jones, C Ding*
- e5** Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis  
*J Wei, C Zeng, Guang-hua Lei*
- e6** Response to: 'Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis' by Wei *et al*  
*M M Ward, A Dasgupta, R Wang*
- e7** Low-dose versus high-dose fish oil for pain reduction and function improvement in patients with knee osteoarthritis  
*Y Chen, Y-C Huang, W W Lu*
- e8** Response to: 'Low-dose versus high-dose fish oil for pain reduction and function improvement in patients with knee osteoarthritis' by Chen *et al*  
*C Hill, S E Lester, G Jones*
- e9** Bortezomib in refractory ANCA-associated vasculitis: a new option?  
*P Novikov, S Moiseev, N Bulanov, E Shchegoleva*

---

## Electronic pages

### Correspondence

- e1** Mutation in MMP2 gene may result in scleroderma-like skin thickening  
*B Bader-Meunier, L Bonafé, S Fraïtag, S Breton, C Bodemer, G Baujat*