

Supplemental Table 1. Reliability of Readers for Radiographic and MRI Efficacy Endpoints

Endpoint	Intra-reader Correlation Coefficient (95% CI)	Inter-reader Correlation Coefficient (95% CI)
	Readers 1 and 2	Reader 1 vs 2
Verbruggen-Veys both hands	0.98 (0.95–0.99) 0.91 (0.78–0.96)	0.94 (0.91–0.96)
Kellgren-Lawrence score, both hands	0.95 (0.88–0.98) 0.95 (0.87–0.98)	0.93 (0.90–0.95)
OARSI JSN, both hands	0.96 (0.90–0.98) 0.83 (0.62–0.93)	0.94 (0.91–0.96)
OARSI osteophytes, both hands	0.96 (0.89–0.98) 0.96 (0.90–0.98)	0.96 (0.95–0.97)
HOAMRIS synovitis, index hand	0.63 (0.27–0.83) 0.64 (0.27–0.84)	0.76 (0.66–0.83)
HOAMRIS erosive damage, index hand	0.92 (0.82–0.97) 0.88 (0.72–0.95)	0.88 (0.83–0.92)
HOAMRIS BML, index hand	0.82 (0.59–0.92) 0.85 (0.65–0.94)	0.86 (0.80–0.90)
HOAMRIS cartilage space loss, index hand	0.86 (0.67–0.94) 0.83 (0.61–0.93)	0.86 (0.80–0.90)

BML=bone marrow lesions; HOAMRIS=Hand Osteoarthritis Magnetic Resonance Scoring system; MRI=magnetic resonance imaging; OARSI=Osteoarthritis Research Society International.