

**Supplementary Table S6. Number of publications and references concerning lactation data on non-steroidal anti-inflammatory drugs (NSAIDs), non-biologic and biologic drugs used to treat rheumatic diseases (publications 1970 – 2015)**

<b>Drug</b>	<b>Number of publications</b>	<b>References</b>
Non selective COX-inhibitors (classical NSAIDs)	7	[1-6]
Selective COX II Inhibitors	4	[7-10]
Prednisone	6	[1 ,11-15]
Hydroxy-Chloroquine	5	[16-20]
Chloroquine	6	[21-26]
Mepacrine (quinacrine)	0	-----
Sulfasalazine (SSZ)	7	[27-33]
Leflunomide	0	-----
Azathioprine <sup>4</sup>	9	[34-42]
Methotrexate	3	[43-45]
Cyclo phosphamide	3	[46-48]
Ciclosporin	11	[49-59]
Tacrolimus	9	[38 ,49 ,60-66]
Mycophenolate Mofetil	1	[49]
Colchicine	5	[67-70]
IVIg	5	[71-75]
Tofacitinib	0	-----
Infliximab	9	[76-84]
Adalimumab	4	[78 ,81 ,85 ,86]
Golimumab	0	-----
Etanercept	4	[87-90]
Certolizumab	2	[81 ,91]
Rituximab	0	-----
Anakinra	1	[92]
Ustekinumab	0	-----
Tocilizumab	0	-----
Abatacept	0	-----
Belimumab	0	-----

## REFERENCES

1. Ito, S, Blajchman, A, Stephenson, M, *et al.* Prospective follow-up of adverse reactions in breast-fed infants exposed to maternal medication. *Am J Obstet Gynecol* 1993;168:1393-9.
2. Jamali, F, Stevens, DR. Naproxen excretion in milk and its uptake by the infant. *Drug Intell Clin Pharm* 1983;17:910-1.
3. Rigourd, V, de Villepin, B, Amirouche, A, *et al.* Ibuprofen Concentrations in Human Mature Milk- First Data About Pharmacokinetics Study in Breast Milk With AOR-10127 "Antalait" Study. *Ther Drug Monit* 2014;36:590-6.
4. Townsend, RJ, Benedetti, TJ, Erickson, SH, *et al.* Excretion of ibuprofen into breast milk. *Am J Obstet Gynecol* 1984;149:184-6.
5. Walter, K, Dilger, C. Ibuprofen in human milk. *Br J Clin Pharmacol* 1997;44:211-2.
6. Weibert, RT, Townsend, RJ, Kaiser, DG, *et al.* Lack of ibuprofen secretion into human milk. *Clin Pharm* 1982;1:457-8.
7. Gardiner, SJ, Doogue, MP, Zhang, M, *et al.* Quantification of infant exposure to celecoxib through breast milk. *Br J Clin Pharmacol* 2006;61:101-4.
8. Hale, TW, McDonald, R, Boger, J. Transfer of celecoxib into human milk. *J Hum Lact* 2004;20:397-403.
9. Knoppert, DC, Stempak, D, Baruchel, S, *et al.* Celecoxib in human milk: a case report. *Pharmacotherapy* 2003;23:97-100.
10. Ruhlen, RL, Chen, YC, Rottinghaus, GE, *et al.* RE: "Transfer of celecoxib into human milk". *J Hum Lact* 2007;23:13-4.
11. Cooper, SD, Felkins, K, Baker, TE, *et al.* Transfer of methylprednisolone into breast milk in a mother with multiple sclerosis. *J Hum Lact* 2015;31:237-9.
12. Greenberger, PA, Odeh, YK, Frederiksen, MC, *et al.* Pharmacokinetics of prednisolone transfer to breast milk. *Clin Pharmacol Ther* 1993;53:324-8.
13. McKenzie, SA, Selley, JA, Agnew, JE. Secretion of prednisolone into breast milk. *Arch Dis Child* 1975;50:894-6.
14. Ost, L, Wettrell, G, Bjorkhem, I, *et al.* Prednisolone excretion in human milk. *J Pediatr* 1985;106:1008-11.
15. Westermann, L, Hugel, R, Meier, M, *et al.* Glucocorticosteroid-resistant pemphigoid gestationis: successful treatment with adjuvant immunoadsorption. *J Dermatol* 2012;39:168-71.
16. Cissoko, H, Rouger, J, Zahr, N, *et al.* Breast milk concentrations of hydroxychloroquine. [abstract]. *Fundam Clin Pharmacol* 2010;24(Suppl S1):87.
17. Costedoat-Chalumeau, N, Amoura, Z, Aymard, G, *et al.* Evidence of transplacental passage of hydroxychloroquine in humans. *Arthritis Rheum* 2002;46:1123-4.
18. Motta, M, Tincani, A, Faden, D, *et al.* Antimalarial agents in pregnancy. *Lancet* 2002;359:524-5.
19. Nation, RL, Hackett, LP, Dusci, LJ, *et al.* Excretion of hydroxychloroquine in human milk. *Br J Clin Pharmacol* 1984;17:368-9.
20. Ostensen, M, Brown, ND, Chiang, PK, *et al.* Hydroxychloroquine in human breast milk. *Eur J Clin Pharmacol* 1985;28:357.
21. Akintonwa, A, Gbajumo, SA, Mabadeje, AF. Placental and milk transfer of chloroquine in humans. *Ther Drug Monit* 1988;10:147-9.
22. Boelaert, JR, Yaro, S, Augustijns, P, *et al.* Chloroquine accumulates in breast-milk cells: potential impact in the prophylaxis of postnatal mother-to-child transmission of HIV-1. *AIDS* 2001;15:2205-07.
23. Edstein, MD, Veenendaal, JR, Newman, K, *et al.* Excretion of chloroquine, dapson and pyrimethamine in human milk. *Br J Clin Pharmacol* 1986;22:733-5.
24. Ette, EI, Essien, EE, Ogonor, JI, *et al.* Chloroquine in human milk. *J Clin Pharmacol* 1987;27:499-502.
25. Law, I, Ilett, KF, Hackett, LP, *et al.* Transfer of chloroquine and desethylchloroquine across the placenta and into milk in Melanesian mothers. *Br J Clin Pharmacol* 2008;65:674-9.

26. Ogunbona, FA, Onyeji, CO, Bolaji, OO, *et al.* Excretion of chloroquine and desethylchloroquine in human milk. *Br J Clin Pharmacol* 1987;23:473-6.
27. Azad Khan, AK, Truelove, SC. Placental and mammary transfer of sulphasalazine. *Br Med J* 1979;2:1553.
28. Berlin, CM, Jr., Yaffe, SJ. Disposition of salicylazosulfapyridine (Azulfidine) and metabolites in human breast milk. *Dev Pharmacol Ther* 1980;1:31-9.
29. Branski, D, Kerem, E, Gross-Kieselstein, E, *et al.* Bloody diarrhea--a possible complication of sulfasalazine transferred through human breast milk. *J Pediatr Gastroenterol Nutr* 1986;5:316-7.
30. Christensen, LA, Rasmussen, SN, Hansen, SH, *et al.* Salazosulfapyridine and metabolites in fetal and maternal body fluids with special reference to 5-aminosalicylic acid. *Acta Obstet Gynecol Scand* 1987;66:433-35.
31. Esbjorner, E, Jarnerot, G, Wranne, L. Sulphasalazine and sulphapyridine serum levels in children to mothers treated with sulphasalazine during pregnancy and lactation. *Acta Paediatr Scand* 1987;76:137-42.
32. Jarnerot, G, Into-Malmberg, MB. Sulphasalazine treatment during breast feeding. *Scand J Gastroenterol* 1979;14:869-71.
33. Nelis, GF. Diarrhoea due to 5-aminosalicylic acid in breast milk. *Lancet* 1989;1:383.
34. Angelberger, S, Reinisch, W, Messerschmidt, A, *et al.* Long-term follow-up of babies exposed to azathioprine in utero and via breastfeeding. *J Crohns Colitis* 2011;5:95-100.
35. Bernard, N, Gouraud, A, Paret, N, *et al.* Azathioprine and breastfeeding: Long-term follow-up. *Fundam Clin Pharmacol* 2013;27:12.
36. Christensen, LA, Dahlerup, JF, Nielsen, MJ, *et al.* Azathioprine treatment during lactation. *Aliment Pharmacol Ther* 2008;28:1209-13.
37. Coulam, CB, Moyer, TP, Jiang, NS, *et al.* Breast-feeding after renal transplantation. *Transplant Proc* 1982;14:605-9.
38. Gardiner, SJ, Geary, RB, Roberts, RL, *et al.* Exposure to thiopurine drugs through breast milk is low based on metabolite concentrations in mother-infant pairs. *Br J Clin Pharmacol* 2006;62:453-6.
39. Gardiner, SJ, Geary, RB, Roberts, RL, *et al.* Comment: Breast-feeding during maternal use of azathioprine. *Ann Pharmacother* 2007;41:719-20; author reply 20.
40. Moretti, ME, Verjee, Z, Ito, S, *et al.* Breast-feeding during maternal use of azathioprine. *Ann Pharmacother* 2006;40:2269-72.
41. Sau, A, Clarke, S, Bass, J, *et al.* Azathioprine and breastfeeding: is it safe? *BJOG* 2007;114:498-501.
42. Zelinkova, Z, De Boer, IP, Van Dijke, MJ, *et al.* Azathioprine treatment during lactation. *Aliment Pharmacol Ther* 2009;30:90-91.
43. Johns, DG, Rutherford, LD, Leighton, PC, *et al.* Secretion of methotrexate into human milk. *Am J Obstet Gynecol* 1972;112:978-80.
44. Tanaka, T, Walsh, W, Verjee, Z, *et al.* Methotrexate use in a lactating woman with an ectopic pregnancy. *Birth Defects Research Part A - Clinical and Molecular Teratology* 2009;85 (5):494.
45. Thorne, JC, Nadarajah, T, Moretti, M, *et al.* Methotrexate use in a breastfeeding patient with rheumatoid arthritis. *J Rheumatol* 2014;41:2332.
46. Duncan, JH, Colvin, OM, Fenselau, C. Mass spectrometric study of the distribution of cyclophosphamide in humans. *Toxicol Appl Pharmacol* 1973;24:317-23.
47. Durodola, JI. Administration of cyclophosphamide during late pregnancy and early lactation: a case report. *J Natl Med Assoc* 1979;71:165-6.
48. Wiernik, PH, Duncan, JH. Cyclophosphamide in human milk. *Lancet* 1971;1:912.
49. Constantinescu, S, Pai, A, Coscia, LA, *et al.* Breast-feeding after transplantation. *Best Practice and Research: Clinical Obstetrics and Gynaecology* 2014;28:1163-73.
50. Flechner, SM, Katz, AR, Rogers, AJ, *et al.* The presence of cyclosporine in body tissues and fluids during pregnancy. *Am J Kidney Dis* 1985;5:60-3.

51. Lahiff, C, Moss, AC. Cyclosporine in the management of severe ulcerative colitis while breast-feeding. *Inflamm Bowel Dis* 2011;17:E78.
52. Lewis, GJ, Lamont, CA, Lee, HA, *et al.* Successful pregnancy in a renal transplant recipient taking cyclosporin A. *Br Med J (Clin Res Ed)* 1983;286:603.
53. Mazzuoccolo, LD, Andrada, R, Pellerano, G, *et al.* Levels of cyclosporine in breast milk and passage into the circulation of the infant of a mother with psoriasis. *Int J Dermatol* 2014;53:355-56.
54. Moretti, ME, Sgro, M, Johnson, DW, *et al.* Cyclosporine excretion into breast milk. *Transplantation* 2003;75:2144-6.
55. Morton, A. Cyclosporine and lactation. *Nephrology (Carlton)* 2011;16:249.
56. Munoz-Flores-Thiagarajan, KD, Easterling, T, Davis, C, *et al.* Breast-feeding by a cyclosporine-treated mother. *Obstet Gynecol* 2001;97:816-8.
57. Nyberg, G, Haljamae, U, Frisenette-Fich, C, *et al.* Breast-feeding during treatment with cyclosporine. *Transplantation* 1998;65:253-5.
58. Osadchy, A, Koren, G. Cyclosporine and lactation: when the mother is willing to breastfeed. *Ther Drug Monit* 2011;33:147-8.
59. Thiru, Y, Bateman, DN, Coulthard, MG. Successful breast feeding while mother was taking cyclosporin. *BMJ* 1997;315:463.
60. Bramham, K, Chusney, G, Lee, J, *et al.* Breastfeeding and tacrolimus: serial monitoring in breast-fed and bottle-fed infants. *Clin J Am Soc Nephrol* 2013;8:563-7.
61. French, AE, Soldin, SJ, Soldin, OP, *et al.* Milk transfer and neonatal safety of tacrolimus. *Ann Pharmacother* 2003;37:815-8.
62. Gomez-Lobo, V, Landy, HJ, Matsumoto, C, *et al.* Pregnancy in an intestinal transplant recipient. *Obstet Gynecol* 2012;120:497-500.
63. Gouraud, A, Bernard, N, Millaret, A, *et al.* Follow-up of tacrolimus breastfed babies. *Transplantation* 2012;94:e38-40.
64. Izumi, Y, Miyashita, T, Migita, K. Safety of tacrolimus treatment during pregnancy and lactation in systemic lupus erythematosus: A report of two patients. *Tohoku J Exp Med* 2014;234:51-56.
65. Jain, A, Venkataramanan, R, Fung, JJ, *et al.* Pregnancy after liver transplantation under tacrolimus. *Transplantation* 1997;64:559-65.
66. Zheng, S, Easterling, TR, Hays, K, *et al.* Tacrolimus placental transfer at delivery and neonatal exposure through breast milk. *Br J Clin Pharmacol* 2013;76:988-96.
67. Ben-Chetrit, E, Scherrmann, JM, Levy, M. Colchicine in breast milk of patients with familial Mediterranean fever. *Arthritis Rheum* 1996;39:1213-7.
68. Diav-Citrin, O, Shechtman, S, Schwartz, V, *et al.* Pregnancy outcome after in utero exposure to colchicine. *Am J Obstet Gynecol* 2010;203:144.e1-6.
69. Herscovici, T, Merlob, P, Stahl, B, *et al.* Colchicine use during breastfeeding. *Breastfeed Med* 2015;10:92-5.
70. Milunsky, JM. Breast-feeding during colchicine therapy for familial Mediterranean fever. *J Pediatr* 1991;119:164.
71. Achiron, A, Kishner, I, Dolev, M, *et al.* Effect of intravenous immunoglobulin treatment on pregnancy and postpartum-related relapses in multiple sclerosis. *J Neurol* 2004;251:1133-7.
72. Gan, DC, Welsh, B, Webster, M. Successful treatment of a severe persistent case of pemphigoid gestationis with antepartum and postpartum intravenous immunoglobulin followed by azathioprine. *Australas J Dermatol* 2012;53:66-9.
73. Haas, J, Hommes, OR. A dose comparison study of IVIG in postpartum relapsing-remitting multiple sclerosis. *Mult Scler* 2007;13:900-08.
74. Palmeira, P, Costa-Carvalho, BT, Arslanian, C, *et al.* Transfer of antibodies across the placenta and in breast milk from mothers on intravenous immunoglobulin. *Pediatr Allergy Immunol* 2009;20:528-35.

75. Winkelmann, A, Benecke, R, Zettl, U. Effect of intravenous immunoglobulin treatment on pregnancy and postpartum-related relapses in multiple sclerosis: A prospective, rater-blinded analysis. [abstract].*Neurology* 2012;78
76. Ben-Horin, S, Yavzori, M, Kopylov, U, et al. Detection of infliximab in breast milk of nursing mothers with inflammatory bowel disease. *J Crohns Colitis* 2011;5:555-8.
77. Correia, LM, Bonilha, DQ, Ramos, JD, et al. Inflammatory bowel disease and pregnancy: Report of two cases treated with infliximab and a review of the literature. *Eur J Gastroenterol Hepatol* 2010;22:1260-64.
78. Fritzsche, J, Pilch, A, Mury, D, et al. Infliximab and adalimumab use during breastfeeding. *J Clin Gastroenterol* 2012;46:718-9.
79. Grosen, A, Julsgaard, M, Kelsen, J, et al. Infliximab concentrations in the milk of nursing mothers with inflammatory bowel disease. *J Crohns Colitis* 2014;8:175-6.
80. Kane, S, Ford, J, Cohen, R, et al. Absence of infliximab in infants and breast milk from nursing mothers receiving therapy for Crohn's disease before and after delivery. *J Clin Gastroenterol* 2009;43:613-6.
81. Matro, R, Martin, CF, Wolf, DC, et al. Detection of biologic agents in breast milk and implication for infection, growth and development in infants born to women with inflammatory bowel disease: Results from the piano registry. [abstract].*Gastroenterology* 2015;1(Suppl 4):S141.
82. Stengel, JZ, Arnold, HL. Is infliximab safe to use while breastfeeding? *World J Gastroenterol* 2008;14:3085-87.
83. Tursi, A. Effect of intentional infliximab use throughout pregnancy in inducing and maintaining remission in Crohn's disease. *Dig Liver Dis* 2006;38:439-40.
84. Vasiliasuskas, EA, Church, JA, Silverman, N, et al. Case report: evidence for transplacental transfer of maternally administered infliximab to the newborn. *Clin Gastroenterol Hepatol* 2006;4:1255-8.
85. Ben-Horin, S, Yavzori, M, Katz, L, et al. Adalimumab level in breast milk of a nursing mother. *Clin Gastroenterol Hepatol* 2010;8:475-6.
86. Mishkin, DS, Van Deirse, W, Becker, JM, et al. Successful use of adalimumab (Humira) for Crohn's disease in pregnancy. *Inflamm Bowel Dis* 2006;12:827-8.
87. Berthelsen, BG, Fjeldsoe-Nielsen, H, Nielsen, CT, et al. Etanercept concentrations in maternal serum, umbilical cord serum, breast milk and child serum during breastfeeding. *Rheumatology (Oxford)* 2010;49:2225-7.
88. Keeling, S, Wolbink, GJ. Measuring multiple etanercept levels in the breast milk of a nursing mother with rheumatoid arthritis. *J Rheumatol* 2010;37:1551.
89. Murashima, A, Watanabe, N, Ozawa, N, et al. Etanercept during pregnancy and lactation in a patient with rheumatoid arthritis: Drug levels in maternal serum, cord blood, breast milk and the infant's serum. *Ann Rheum Dis* 2009;68:1793-94.
90. Ostensen, M, Eigenmann, GO. Etanercept in Breast Milk [9]. *J Rheumatol* 2004;31:1017-18.
91. Mahadevan, U, Wolf, DC, Dubinsky, M, et al. Placental transfer of anti-tumor necrosis factor agents in pregnant patients with inflammatory bowel disease. *Clin Gastroenterol Hepatol* 2013;11:286-92.
92. Berger, CT, Recher, M, Steiner, U, et al. A patient's wish: Anakinra in pregnancy. *Ann Rheum Dis* 2009;68:1794-95.